Product data sheet





- Metal syringe adapter
- Metal syringe adapter with 6' air line and fitting
- Plugs directly into any Kahnetics shot meter
- Unique design works with all manufacturer's syringes
- 360° swivel on adapter head for ease of motion
- Produces repeatable shots of material and requires minimal clean-up
- Accessory Type: Syringe Adapter
 AssemblyFor Use With: All SyringesSize:
 10ccMaterial: MetalMaterial Category:
 MetalColor: Red BlackPrimary Color: Red
 BlackWidth: 3/32 DiainIncludes: 6 ft Air Line
 and FittingSpecial Features: Unique Design
 Works with All Manufacturer's Syringes, 360°
 Swivel on Adapter Head for Ease of Motion,
 Produces Repeatable Shots of Material and
 Requires Minimal Clean-UpApplications:
 DispensingPackage Quantity: 1PH

KDS830S6

Product no.: KDS830S6N

Dimensions L x W x H (mm)	
Dimensions L x W x H (inches)	
Weight (approx.) in kg	
Voltage	
Power	
Channels	
Temperature range (depends on tool) °C	
Temperature range (depends on tool) °F	
Temperature accuracy °C	
Temperature accuracy °F	
Temperature accuracy for hot air °C	
Temperature accuracy for hot air °F	
Temperature stability °C	
Temperature stability °F	
Equipotential bonding socket	
Display	
Additional vacuum pump	
Max. hot air flow rate I/min (depends on tool)	
Capacity I/min	
Max. vacuum	
Interface	

Weller Tools GmbH Carl-Benz-Straße 2 74354 Besigheim Germany Phone: +49 (0) 7143 / 580-0 Fax.: +49 (0) 7143 / 580-108 Email: info@weller-tools.com Web: www.weller-tools.com