


28128.7

PVCF-KMP 050 15X15 WH

PVCF-KMP 050 15X15 WH



Wire and cable markers, Length: 50 mm, Width: 15 mm, Colour: White

Business data

| | |
|--|------------------------|
| Product description | Cable and wire markers |
| Packaging unit | 600 |
| Quantity unit | PC |
| Number of markers per card | 12 |
| Weight per piece (not including packaging) | 0.43 |
| Weight per piece (including packaging) | 0.43 |
| Unit of weight | G |
| Customs number | 39204910 |
| Country of origin | IT |

28128.7

PVCF-KMP 050 15X15 WH

PVCF-KMP 050 15X15 WH

Technical Data

Dimensions

| | |
|---------------------------|-------|
| Length | 50 mm |
| Length of labelling field | 15 mm |
| Width | 15 mm |
| Width of labelling field | 15 mm |

Connection data

| | |
|------------------------------------|-------|
| Outer diameter of insulation, min. | 6 mm |
| Max. outer diameter of insulation | 10 mm |

Materials

| | |
|------------------------------|----------|
| Marker material | PVC film |
| Flammability class UL 94 | V-0 |
| Working temperature, min. | -30 °C |
| Working temperature, max. | 70 °C |
| Processing temperature, min. | 10 °C |
| Processing temperature, max. | 40 °C |
| Silicone-free | ✓ |

Datasheet



28128.7

PVCF-KMP 050 15X15 WH

PVCF-KMP 050 15X15 WH

Technical Data

Further technical data

Software code

303

28128.7

PVCF-KMP 050 15X15 WH

PVCF-KMP 050 15X15 WH

Accessories

Printer



Thermal transfer printer

In general

| Order number | Article designation | GTIN (EAN) | Packaging unit |
|--------------|---------------------|---------------|----------------|
| 28000.0 | TTPCard | 4044211207397 | 1 PC |

Inlays



Printer inlay

In general

| Order number | Article designation | GTIN (EAN) | Packaging unit |
|--------------|---------------------|---------------|----------------|
| 28041.0 | CCI-PC/PVC/PVCF | 4044211208097 | 1 PC |