

## Specification Sheet

Part Number: 148-90040



HelaCon Plus Mini, Push-In Style Wire Connector, Double Spring, 6-Port, (PC), Violet, 50/pkg

**Article Number** 148-90040

**Type** HCPM-6

**Color** Clear (CL) Violet (VT)

**Features & Benefits**

- Spring technology for safe, secure and reliable connections.
- Smaller footprint fits in tight spaces.
- Low insertion force makes installation of solid or stranded copper wire fast and easy.
- Color coded for easy identification of size.
- Each port accepts multiple wire diameters for flexible applications.
- Accepts 12–22 AWG solid wire and 14–22 AWG stranded wire.

**Quantity Per** box

<b>Product Description</b>	HelaCon Plus Mini Wire Connectors replace traditional twist-on wire connectors. They provide faster, easier and more reliable connection and distribution of cable and conductors in electrical installation applications. Mini connectors have a compact footprint and can be applied tool-free using convenient, push-in simplicity. Internal spring technology is approved for solid and stranded wires.
<b>Short Description</b>	HelaCon Plus Mini, Push-In Style Wire Connector, Double Spring, 6-Port, (PC), Violet, 50/pkg
<b>Global Part Name</b>	HCPM-6-PC-CL/VT
<b>Length L (Imperial)</b>	0.65
<b>Length L (Metric)</b>	16.5
<b>Width W (Imperial)</b>	1.10
<b>Width W (Metric)</b>	28.0
<b>Height H (Imperial)</b>	0.30
<b>Height H (Metric)</b>	7.70
<b>Depth D (imperial)</b>	0.65
<b>Depth D (metric)</b>	16.5
<b>Material</b>	Polycarbonate (PC)

<b>Material Shortcut</b>	PC
<b>Flammability</b>	UL 94 V0
<b>Halogen free</b>	Yes
<b>Operating Temperature (Metric)</b>	-22°F to +185°F (-30°C to +85°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Certification/Specification WEB</b>	SGS Fimko Ltd   EN 60998-2-2:2004 UL   ANSI/UL 486-C VDE   DIN EN 60998-2-2:2005-03 ENEC SGS Fimko Ltd   EN 60998-2-2:201 cULus UL   ANSI/UL 486-B CE   2006/65/EC Intertek Semko   EN 60998-2-2:2004 NEMKO AS   EN 60998-2-2:2004 UL   ANSI/UL 486-A
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Listed (US</b>	Yes
<b>Package Quantity(Imperial)</b>	50
<b>Package Quantity (Metric)</b>	50
<b>Customs Number</b>	8536695050
<b>Content Unit(BMEcat)</b>	pcs.

