


Specification Sheet

Part Number: 596-00326



Solar Label, BIPOLAR SOLAR ARRAY, 3.75" x 2.0", V, Red, 50/pkg

Article Number

596-00326

Type

BIPOLARPV

Color

Red (RD)

Features & Benefits

- Made with UV stable inks and materials for durability and weather resistance.
- The labels are supplied with aggressive adhesive to ensure long life.
- Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

Quantity Per

reel

Product Description

Many times common solar label designs are specified even though they might not be required by code. HellermannTyton offers a selection of some of the most commonly requested labels for use on solar installations.

Short Description	Solar Label, BIPOLAR SOLAR ARRAY, 3.75" x 2.0", V, Red, 50/pkg
Global Part Name	BIPOLARPV-V-RD
Technical Description	Pre-Printed Solar Label, 3.75" X 2", BIPOLAR SOLAR ARRAY, Red
Width W (Imperial)	3.75
Width W (Metric)	92.25
Height H (Imperial)	2.0
Height H (Metric)	50.80
Material	Vinyl
Material Shortcut	V
Adhesive	Acrylic
Halogen free	Yes
Adhesive Operating Temperature	-40°F to +174°F (-40°C to +79°C)
Operating Temperature (Metric)	-40°F to +174°F (-40°C to +79°C)
ROHS Complaint	Yes

Certification/Specification WEB NEC2011 UL 969 IFC 2012

Warranty (US) Yes

UL Recognized (US) Yes

Package Quantity(Imperial) 50

Package Quantity (Metric) 50

Customs Number 3919905060

Content Unit(BMEcat) pcs.

Labels per Column 1

Labels per Row 1

Weight (Metric) .104

Weight (Imperial) 0.23