

## Specification Sheet

Part Number: TSR1FW-6A



One Piece Surface Raceway, 3/4", 6.0 ft Long, PVC, Office White, 120ft/Carton

**Article Number** 250-01601

**Type** TSR1-6A

**Color** Office White (OEWH)

**Features & Benefits**

- Tamper resistant, self-locking hidden positive latch permits quick re-entry as well as providing a secure installation of premise wire.
- Fittings incorporate a minimum 1" bend radius per ANSI/TIA-568-C and 569-A standards.
- Rubber-based, foam-tape adhesive with high ultimate bond strength conforms to any surface.
- Flexible hinge allows the raceway to endure numerous openings without creating discoloration or stress cracking

**Quantity Per** carton

<b>Product Description</b>	HellermannTyton's low voltage raceway (TSR) is a one piece, non-metallic, adhesive backed, latching raceway designed to aesthetically organize and route communications wires, including high speed UTP cable and fiber optic cable, from the telecom room to the work area.
<b>Short Description</b>	One Piece Surface Raceway, 3/4", 6.0 ft Long, PVC, Office White, 120ft/Carton
<b>Global Part Name</b>	TSR1-6A-PVC-WH
<b>Length L (Imperial)</b>	6.0
<b>Length L (Metric)</b>	1.83
<b>Width W (Imperial)</b>	0.75
<b>Width W (Metric)</b>	19.05
<b>Height H (Imperial)</b>	.50
<b>Height H (Metric)</b>	12.70
<b>Material</b>	Polyvinylchloride (PVC)
<b>Material Shortcut</b>	PVC
<b>Flammability</b>	UL 94 V0
<b>Halogen free</b>	No

**Operating Temperature (Metric)** +122°F (+50°C)

**Reach Complaint(Article 33)** No

**ROHS Complaint** Yes

**Package Quantity(Imperial)** 120

**Package Quantity (Metric)** 36.58

**Customs Number** 3925900000