

## Specification Sheet

Part Number: TSRP3W-8A



One Piece Power Rated Raceway, 1-3/4", 8.0 ft Long, PVC, White/ 160ft/Carton

**Article Number** 250-63802

**Type** TSRP3-8A

**Color** White (WH)

### Features & Benefits

- Completely tamper resistant, the cover's self-locking, hidden positive latch permits quick re-entry as well as providing a secure installation of power cables.
- U.L. Listed for power up to 600 Volts, meeting UL5A and CSA 22.2 Number 62-93 Standards.
- Manufactured from UL 94V-0 rated PVC material.
- Fittings incorporate a minimum 1" bend radius per TIA/EIA 568-B and 569-A standards.
- Large base for greater adhesive surface.
- Rubber-based foam tape adhesive with high ultimate bond strength, which conforms to any surface.
- Flexible hinge allows the raceway to endure numerous openings without creating discoloration or stress cracking.
- Junction boxes can be used for electrical or data outlets.
- Designed to complement HellermannTyton's industry standard TSR low voltage raceway system.

<b>Quantity Per</b>	carton
<b>Product Description</b>	HellermannTyton's TSRP power surface raceway is a one piece, non-metallic, adhesive backed latching raceway designed to aesthetically organize and route either power or communications cables. Completely tamper resistant, the cover's self-locking, hidden positive latch permits quick reentry as well as providing a secure installation of power cables.
<b>Short Description</b>	One Piece Power Rated Raceway, 1-3/4", 8.0 ft Long, PVC, White/160ft/Carton
<b>Global Part Name</b>	TSRP3-8A-PVC-WH
<b>Length L (Imperial)</b>	8.0
<b>Length L (Metric)</b>	2.44
<b>Width W (Imperial)</b>	1.75
<b>Width W (Metric)</b>	44.45
<b>Height H (Imperial)</b>	1.0
<b>Height H (Metric)</b>	25.40
<b>Material</b>	Polyvinylchloride (PVC)
<b>Material Shortcut</b>	PVC

<b>Flammability</b>	UL 94 V0
<b>Halogen free</b>	No
<b>Operating Temperature (Metric)</b>	+122°F (+50°C)
<b>Reach Complaint(Article 33)</b>	No
<b>ROHS Complaint</b>	Yes
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Listed (US</b>	Yes
<b>Package Quantity(Imperial)</b>	160
<b>Package Quantity (Metric)</b>	48.80
<b>Customs Number</b>	3925900000