

## Specification Sheet

Part Number: TT822OUT



Clean Start Thermal Transfer Ribbon, 4.33" x 984', 1.0" Core, PET, Black, 1/pkg

**Article Number** 556-00101

**Type** TT822OUT

**Color** Black (BK)

### Features & Benefits

- Clean Start ribbons prolong printhead life, while reducing maintenance costs.
- Ribbons are resin based for the best print durability.
- Ribbons are available to fit all HellermannTyton printers for easy resupply.
- Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

**Quantity Per** EA

<b>Product Description</b>	HellermannTyton Clean Start thermal transfer ribbons incorporate an innovative, patented printhead cleaner built right into the ribbon. Clean Start ribbon removes debris before it builds up on the printhead, extending printer life. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.
<b>Short Description</b>	Clean Start Thermal Transfer Ribbon, 4.33" x 984', 1.0" Core, PET, Black, 1/pkg
<b>Global Part Name</b>	TT822OUT-PET-BK
<b>Length L (Imperial)</b>	984.0
<b>Length L (Metric)</b>	300.0
<b>Variant</b>	Colored ribbon
<b>Width W (Imperial)</b>	4.33
<b>Width W (Metric)</b>	110.0
<b>Inner Diameter D (Metric)</b>	25.4
<b>Material</b>	Polyester Film (PET)
<b>Material Shortcut</b>	PET
<b>Halogen free</b>	No

**Operating Temperature (Metric)** +40°F to +300°F (+4°C to +82°C)

**Reach Complaint(Article 33)** Yes

**ROHS Complaint** Yes

**UL Recognized (US)** Yes

**UL Recognized (US and Canada)** Yes

**Package Quantity(Imperial)** 1

**Package Quantity (Metric)** 1

**Customs Number** 3702440160

**Content Unit(BMEcat)** pcs.

**Weight (Metric)** 0.30

**Weight (Imperial)** 0.662