

PLATFORM BRIEF


Intel® Celeron® Processors with Mobile Intel® QM77 and HM76 Express Chipsets

Intelligent Systems



Intel® Celeron® Processor (1020E, 1047UE, 927UE)-Based Platforms for Intelligent Systems

Ideal for Intelligent Systems—context-aware, securely managed embedded devices that connect seamlessly to networks, clouds and each other.



Product Overview

Based on 3rd generation Intel® Core™ microarchitecture on 22nm process technology, these Intel® Celeron® processors feature enhanced power efficiency and graphics with new levels of performance for embedded applications. When paired with the Mobile Intel® QM77 Express or Mobile Intel® HM76 Express chipset, these two-chip platforms provide excellent media, graphics, and I/O flexibility to meet the requirements of a broad range of embedded applications, including retail and transaction solutions, signage, gaming platforms, industrial automation, and medical equipment.

Dual- and single-core processing capabilities, with 17W and 35W thermal design power (TDP), deliver excellent performance and value. While incorporating advanced technology, these processors remain software-compatible with previous IA-32 processors.


Next-generation Intel® HD Graphics provide improved graphics performance compared with previous Intel Celeron processor-based platforms. Full integration of the CPU, media/graphics capabilities and memory controller helps reduce overall platform footprint and provides faster performance as well as board real estate savings.

Product Highlights

Intel® HD Graphics: Supports enhanced media/graphics capabilities and performance while reducing overall platform power requirements and footprint.

Intel® Intelligent Power Technology¹: Reduces idle power consumption through architectural improvements such as integrated power gates and automated low-power states.

Intel® Virtualization Technology² (Intel® VT): Combined with software-based virtualization solutions, Intel VT provides maximum system utilization by consolidating multiple environments into a single embedded system.



Software Overview

The following independent operating system and BIOS vendors provide support for this platform.

OPERATING SYSTEM

Microsoft Windows* 8
 Microsoft Windows* 7
 Microsoft Windows* XP SP3
 Microsoft Windows Embedded Standard 7
 Microsoft Windows Embedded Standard 2009
 Microsoft Windows Embedded POSReady (WEPOS)
 Red Hat Enterprise Linux* 6.1
 SUSE SLE* 11 SP1
 Wind River Linux* 3.0
 Wind River VxWorks* 6.8

CONTACT

Intel provides drivers³
 Intel provides drivers³
 Intel provides drivers³
 Intel provides drivers³
 Intel provides drivers³
 Intel provides drivers³
 Red Hat
 Novell
 Wind River
 Wind River

BIOS

American Megatrends
 Insyde Software
 Phoenix Technologies
 Byosoft

Platform Features and Benefits

FEATURES	BENEFITS
Supports key embedded platform requirements	Ideal for compute-intensive embedded applications.
Extended life cycle product support	Protects system investment by enabling extended product availability for embedded customers.
Intelligent Systems ecosystem support	Along with a strong ecosystem of hardware and software vendors, including members of the Intelligent Systems Alliance (intel.com/go/intelligentsystems-alliance), Intel helps to cost-effectively meet development challenges and speed time-to-market.
Intelligent performance	Delivers optimum efficiency by adapting performance to embedded application needs.
Intel® Smart Cache Technology	Large on-die shared last-level cache reduces latency to data, improving performance and power efficiency.
Intel® Intelligent Power Technology ¹	Automated energy efficiency reduces power consumption.
Integrated power gates	Reduces idle processor cores to near zero power when not in use to help conserve power and lower operating costs.
Automated low-power states	Adjusts system power consumption based on real-time processor loads.
Virtualization	Increases performance of virtual computing environments enabling more robust embedded applications.
Intel® Virtualization Technology ²	Speeds the transfer of platform control and movement of data between the virtual machine monitor (VMM) and other platform agents (including guest operating systems and I/O devices). By lowering the workload on the VMM, this technology addresses many embedded system design challenges, like migrating legacy software, increasing real-time performance, and making applications more secure.

Intel® Celeron® Processors for Embedded Computing

PRODUCT NAME ^A	CORES	CORE FREQUENCY	INTEL® SMART CACHE	THERMAL DESIGN POWER	PACKAGE	ERROR CORRECTING CODE	INTEL® VIRTUALIZATION TECHNOLOGY
Intel® Celeron® Processor 1020E	2	2.2 GHz	2 MB	35 W	FCPGA 988	No	Yes
Intel® Celeron® Processor 1020E	2	2.2 GHz	2 MB	35 W	FCBGA 1023	Yes	Yes
Intel® Celeron® Processor 1047UE	2	1.4 GHz	2 MB	17 W	FCBGA 1023	Yes	Yes
Intel® Celeron® Processor 927UE	1	1.5 GHz	1 MB	17 W	FCBGA 1023	Yes	Yes

Mobile Intel® QM77 Express and Mobile Intel® HM76 Express Chipsets for Embedded Computing

PRODUCT	PRODUCT CODE	PACKAGE	FEATURES
Intel® BD82QM77 Platform Controller Hub	BD82QM77	FCBGA 989	4 SATA 3.0 Gb/s ports , 2 SATA 6.0 Gb/s ports; 8 PCI Express I/O ports; 10 USB 2.0 ports, 4 USB 3.0 ports
Intel® BD82HM76 Platform Controller Hub	BD82HM76	FCBGA 989	4 SATA 3.0 Gb/s ports , 2 SATA 6.0 Gb/s ports; 8 PCI Express I/O ports; 8 USB 2.0 ports, 4 USB 3.0 ports

Intel in Intelligent Systems: intel.com/intelligentsystems

^A Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See www.intel.com/products/processor_number for details.

¹ Intel® Intelligent Power Technology requires a computer system with an enabled Intel® processor, chipset, BIOS and for some features, an operating system enabled for it. Functionality or other benefits may vary depending on hardware implementation and may require a BIOS and/or operating system update. Please check with your system vendor for details.

² Intel® Virtualization Technology requires a computer system with an enabled Intel® processor, BIOS, virtual machine monitor (VMM). Functionality, performance or other benefits will vary depending on hardware and software configurations. Software applications may not be compatible with all operating systems. Consult your PC manufacturer. For more information, visit <http://www.intel.com/go/virtualization>.

³ Drivers available at: downloadcenter.intel.com (enter chipset name).

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER, AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. UNLESS OTHERWISE AGREED IN WRITING BY INTEL, THE INTEL PRODUCTS ARE NOT DESIGNED NOR INTENDED FOR ANY APPLICATION IN WHICH THE FAILURE OF THE INTEL PRODUCT COULD CREATE A SITUATION WHERE PERSONAL INJURY OR DEATH MAY OCCUR.

Intel may make changes to specifications and product descriptions at any time, without notice. Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined." Intel reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them. The information here is subject to change without notice. Do not finalize a design with this information.


The products described in this document may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request. Contact your local Intel sales office or your distributor to obtain the latest specifications and before placing your product order. Copies of documents which have an order number and are referenced in this document, or other Intel literature, may be obtained by calling 1-800-548-4725, or by visiting Intel's Web site at www.intel.com.

Copyright © 2013 Intel Corporation. All rights reserved. Intel, the Intel logo, Celeron, and Core are trademarks of Intel Corporation in the U.S. and other countries.

* Other names and brands may be claimed as the property of others.

Printed in USA

0113/KSC/OCC/XX/PDF

 Please Recycle

328501-001US

