

3/4" HOLE MOUNT ANTENNAS - VHF

TRAT1420	142-160 MHz	Unity Gain	Tuneable	White
TRABT1420	142-160 MHz	Unity Gain	Tuneable	Black
TRAT1500	150-168 MHz	Unity Gain	Tuneable	White
TRABT1500	150-168 MHz	Unity Gain	Tuneable	Black
TRABT1560	156-172 MHz	Unity Gain	Tuneable	Black



TRABT1420



TRAT1420

3/4" HOLE MOUNT ANTENNAS - UHF

TRAB4303	430-450 MHz	3dB Gain	Black	
TRA4500N	450-470 MHz	3dB Gain	White	No Ground Plane
TRAB4500N	450-470 MHz	3dB Gain	Black	No Ground Plane
TRA4503	450-470 MHz	3dB Gain	White	
TRAB4503	450-470 MHz	3dB Gain	Black	
TRA4703	470-490 MHz	3dB Gain	White	



TRAB4500N



TRA4500N

3/4" HOLE MOUNT ANTENNAS - 700 MHz - 2.4 GHz

TRA6927M3NB-001	3G/4G	698-960 / 1700-2700 MHz	Black	
TRA6927M3NBN001	3G/4G	698-960 / 1700-2700 MHz	Black	NGP
TRA6927M3NW-001	3G/4G	698-960 / 1700-2700 MHz	White	
TRA6927M3NWN001	3G/4G	698-960 / 1700-2700 MHz	White	NGP
TRA7603	760-870 MHz	3dB Gain	White	
TRAB7603	760-870 MHz	3dB Gain	Black	
TRA8063	806-866 MHz	3dB Gain	White	
TRAB8063	806-866 MHz	3dB Gain	Black	
TRA8213	821-896 MHz	3dB Gain	White	
TRAB8213	821-896 MHz	3dB Gain	Black	
TRA8903	890-960 MHz	3dB Gain	White	
TRA9023	902-928 MHz	3dB Gain	White	
TRA9023N	902-928 MHz	3dB Gain	White	No Ground Plane
TRA24003	2400-2500 MHz	3dB Gain	White	
TRAB24003	2400-2500 MHz	3dB Gain	Black	
TRA24003NP	2400-2500 MHz	3dB Gain	White	No Ground Plane
TRADCAGP	Ceiling Mount With Built In Ground Plane for TRA24003			



TRAB8213



TRA8213

3/4" HOLE MOUNT ANTENNAS - Dual Band

TRA821/18503	821-896 MHz / 1850-1990 MHz	3dB Gain	White	
TRAB821/18503	821-896 MHz / 1850-1990 MHz	3dB Gain	Black	

PERMANENT MOUNT ANTENNAS - UHF

TRAT1500P	150-168 MHz	Unity Gain	Tuneable	White
-----------	-------------	------------	----------	-------

PERMANENT MOUNT ANTENNAS - UHF

TRA4503P	450-470 MHz	3dB Gain	White	
TRAB4503P	450-470 MHz	3dB Gain	Black	



TRAB4503P



TRA4503P

PERMANENT MOUNT ANTENNAS - 700 MHz - 2.4 GHz

TRA6927M3PB-001	3G/4G	698-960 / 1700-2700 MHz	Black	
TRA6927M3PBN001	3G/4G	698-960 / 1700-2700 MHz	Black	NGP
TRA6827M3PW-001	3G/4G	698-960 / 1700-2700 MHz	White	
TRA6927M3PWN001	3G/4G	698-960 / 1700-2700 MHz	White	NGP

TRA8063P	806-866 MHz	3dB Gain	White
TRAB8213NP	821-896 MHz	3dB Gain	Black No Ground Plane
TRAB8903P	890-960 MHz	3dB Gain	Black
TRAB8903NP	890-960 MHz	3dB Gain	Black No Ground Plane
TRA9023P	902-928 MHz	3dB Gain	White
TRA9023NP	902-928 MHz	3dB Gain	White No Ground Plane
TRA24003P	2400-2500 MHz	3dB Gain	White



TRA84503P

TRA4503P

PERMANENT MOUNT ANTENNAS - Dual Band

TRA806/17103P	806-960 MHz / 1710-2500 MHz	3dB Gain	White
TRAB806/17103P	806-960 MHz / 1710-2500 MHz	3dB Gain	Black
TRA821/18503P	821-896 MHz / 1850-1990 MHz	3dB Gain	White



ETRA1500

ETRAB1500

3/4" HOLE MOUNT ANTENNAS - VHF

ETRA1440	144-148 MHz	Unity Gain	White
ETRA1500	150-155 MHz	Unity Gain	White
ETRAB1500	150-155 MHz	Unity Gain	Black
ETRA1550	155-160 MHz	Unity Gain	White
ETRAB1550	155-160 MHz	Unity Gain	Black

3/4" HOLE MOUNT ANTENNAS - UHF

ETRA4503	450-470 MHz	Unity Gain	White
ETRAB4503	450-470 MHz	Unity Gain	Black
ETRA4703	470-490 MHz	Unity Gain	White
ETRAB4703	470-490 MHz	Unity Gain	Black



ETRA4503

ETRAB4503

3/4" HOLE MOUNT ANTENNAS - 700 MHz - 2.4 GHz

ETRA7463	746-796 MHz	Unity Gain	White
ETRAB7463	746-796 MHz	Unity Gain	Black
ETRA7603	760-870 MHz	Unity Gain	White
ETRAB7603	760-870 MHz	Unity Gain	Black
ETRA8063	806-866 MHz	Unity Gain	White
ETRAB8063	806-866 MHz	Unity Gain	Black
ETRA24003	2400-2500 MHz	Unity Gain	White
ETRAB24003	2400-2500 MHz	Unity Gain	Black



ETRA24003

ETRAB24003

3/4" HOLE MOUNT ANTENNAS - Dual Band

ETRA821/18503	821-896 / 1850-1990 MHz	Unity Gain	White
ETRAB821/18503	821-896 / 1850-1990 MHz	Unity Gain	Black

3/4" HOLE MOUNT ANTENNAS - Lowband DC Ground Base Mobile Load Coil Style


C27	27-31 MHz	Unity Gain	1/4 Wave
CB27	27-31 MHz	Unity Gain	1/4 Wave Black
C30	30-35 MHz	Unity Gain	1/4 Wave
C37	37-40 MHz	Unity Gain	1/4 Wave
C40	40-47 MHz	Unity Gain	1/4 Wave
CW42S	42-48 MHz	Unity Gain	1/4 Wave With Spring
C47	47-50 MHz	Unity Gain	1/4 Wave
C47S	47-50 MHz	Unity Gain	1/4 Wave With Spring
CW27	27-30 MHz	Unity Gain	1/4 Wave
CW37	37-46 MHz	Unity Gain	1/4 Wave



3/4" HOLE MOUNT ANTENNAS - VHF

Quarterwave Style

QW144	144-152 MHz	Unity Gain	1/4 Wave	
QWB144	144-152 MHz	Unity Gain	1/4 Wave	Black
QW152	152-162 MHz	Unity Gain	1/4 Wave	
QWB152	152-162 MHz	Unity Gain	1/4 Wave	Black
QW162	162-174 MHz	Unity Gain	1/4 Wave	
QW220	220-225 MHz	Unity Gain	1/4 Wave	



A-Base Style

A150S	150-174 MHz	Unity Gain	1/4 Wave	With Spring
AB150	150-174 MHz	Unity Gain	1/4 Wave	Black Whip
AB150S	150-174 MHz	Unity Gain	1/4 Wave	Black Whip & Spring
AD150	150-174 MHz	Unity Gain	1/4 Wave	Cellular Look
ADB150	150-174 MHz	Unity Gain	1/4 Wave	Cellular Look Black



Mobile Load Coil Style

B66S	66-174 MHz	Unity Gain	1/4 Wave	With Spring
B132S	132-525 MHz	Unity Gain	1/4 Wave	With Spring
B1322N	132-174 MHz	2.4dB Gain	1/2 Wave	NGP
B1322NS	132-174 MHz	2.4dB Gain	1/2 Wave	NGP Spring
B1322W	132-174 MHz	2.4dB Gain	1/2 Wave	NGP
B1323	132-174 MHz	3dB Gain	5/8 Wave	
B1360W	136-174 MHz	Unity Gain	1/2 Wave	NGP
B1360W	136-174 MHz	Unity Gain	1/2 Wave	NGP Spring
B1323R	132-174 MHz	3dB Gain	5/8 Wave	Elastomer Spring
BB1323R	132-174 MHz	3dB Gain	5/8 Wave	Elastomer Spring Black
B1442N	144-174 MHz	2.4dB Gain	1/2 Wave	NGP
B1442NS	144-174 MHz	2.4dB Gain	1/2 Wave	NGP Spring
BB1442N	144-174 MHz	2.4dB Gain	1/2 Wave	NGP Black
BB1442NS	144-174 MHz	2.4dB Gain	1/2 Wave	NGP Spring Black
B1442NR	144-174 MHz	2.4dB Gain	1/2 Wave	NGP Elastomer Spring
BB1442NR	144-174 MHz	2.4dB Gain	1/2 Wave	NGP Elastomer Spring Black
B1443	144-174 MHz	3dB Gain	5/8 Wave	
BB1443	144-174 MHz	3dB Gain	5/8 Wave	Black
B1443S	144-174 MHz	3dB Gain	5/8 Wave	With Spring
BB1443S	144-174 MHz	3dB Gain	5/8 Wave	With Spring Black
B1443R	144-174 MHz	3dB Gain	5/8 Wave	Elastomer Spring
BB1443R	144-174 MHz	3dB Gain	5/8 Wave	Elastomer Spring Black
B2003	200-225 MHz	3dB Gain	5/8 Wave	
B2003S	200-225 MHz	3dB Gain	5/8 Wave	With Spring
CW1320S	132-174 MHz	Unity Gain	1/4 Wave	With Spring
CW1443	144-156 MHz	3dB Gain	5/8 Wave	
CW1503	150-162 MHz	3dB Gain	5/8 Wave	
CW1503S	150-162 MHz	3dB Gain	5/8 Wave	With Spring
CW1533	153-169 MHz	3dB Gain	5/8 Wave	



New Elastomer Spring Versions Available!



3/4" HOLE MOUNT ANTENNAS - UHF

Quarterwave Style

QW450	450-470 MHz	Unity Gain	1/4 Wave	
QWB450	450-470 MHz	Unity Gain	1/4 Wave	Black
QW490	490-512 MHz	Unity Gain	1/4 Wave	
QWB490	490-512 MHz	Unity Gain	1/4 Wave	Black

A-Base Style

A450	450-470 MHz	Unity Gain	C.Coil	
AB450	450-470 MHz	Unity Gain	C.Coil	Black
AB4503C	450-470 MHz	3.5dB Gain	C. Coil Collinear	Black

Mobile Load Coil Style

B3803W	380-520 MHz	3dBi Gain	Wideband	
BB3803W	380-520 MHz	3dBi Gain	Wideband	Black
B3803WR	380-520 MHz	3dBi Gain	Wideband	Elastomer Spring
BB3803WR	380-520 MHz	3dBi Gain	Wideband	Elastomer Spring Blk
B3803WS	380-520 MHz	3dBi Gain	Wideband	With Spring
BB3803WS	380-520 MHz	3dBi Gain	Wideband	With Spring Black
B4502N	450-470 MHz	2.4dB Gain	1/2 Wave	NGP
B4502NR	450-470 MHz	2.4dB Gain	1/2 Wave	NGP Elastomer Spring
BB4502NR	450-470 MHz	2.4dB Gain	1/2 Wave	NGP Elastomer Spring Blk
B4503	450-470 MHz	3dB Gain	5/8 Wave	
BB4503	450-470 MHz	3dB Gain	5/8 Wave	Black
B4503R	450-470 MHz	3dB Gain	5/8 Wave	Elastomer Spring
BB4503R	450-470 MHz	3dB Gain	5/8 Wave	Elastomer Spring Black
B4503S	450-470 MHz	3dB Gain	5/8 Wave	With Spring
BB4503S	450-470 MHz	3dB Gain	5/8 Wave	With Spring Black
B4505C	450-470 MHz	5dB Gain	C. Coil Collinear	
BB4505C	450-470 MHz	5dB Gain	C. Coil Collinear	Black
B4505CS	450-470 MHz	5dB Gain	C. Coil Collinear	Spring
BB4505CS	450-470 MHz	5dB Gain	C. Coil Collinear	Spring Black
B4505CN	450-470 MHz	5dB Gain	C. Coil Collinear	NGP
BB4505CN	450-470 MHz	5dB Gain	C. Coil Collinear	NGP Black
B4505CNS	450-470 MHz	5dB Gain	C. Coil Collinear	NGP Spring
BB4505CNS	450-470 MHz	5dB Gain	C. Coil Collinear	NGP Spring Black
CW4405C	440-470 MHz	5dB Gain	C. Coil Collinear	
CW4405CS	440-470 MHz	5dB Gain	C. Coil Collinear	Spring


Elevated Feed Style

EB4500	450-512 MHz	Unity Gain	Elevated Feed	
EB4503C	450-470 MHz	3dB Gain	C. Coil Collinear	Elevated Feed

3/4" HOLE MOUNT ANTENNAS - 700 MHz - 2.4 GHz

Quarterwave Style


QW760	760-870 MHz	Unity Gain	1/4 Wave	
QWB760	760-870 MHz	Unity Gain	1/4 Wave	Black
QW800	806-866 MHz	Unity Gain	1/4 Wave	
QWB800	806-866 MHz	Unity Gain	1/4 Wave	Black
QW8063	806-866 MHz	3dB Gain	Open Coil	



QWB8063	806-866 MHz	3dB Gain	Open Coil	Black
QW8253	825-896 MHz	3dB Gain	Open Coil	
QWB8253	825-896 MHz	3dB Gain	Open Coil	Black
QW8963	896-970 MHz	3dB Gain	Open Coil	

A-Base Style

A8063	806-896 MHz	3dB Gain	Open Coil	Collinear
AB8063	806-896 MHz	3dB Gain	Open Coil	Collinear Black
AB8063C	806-896 MHz	3.5dB Gain	C. Coil	Collinear Black
AB8063CS	806-896 MHz	3.5dB Gain	C. Coil	Collinear Black Spring
A8063S	806-896 MHz	3dB Gain	Open Coil	Collinear Spring
A8065CT	806-896 MHz	5dB Gain	C. Coil	Trilinear
A8065CTS	806-896 MHz	5dB Gain	C. Coil	Trilinear Spring
AB8065CTS	806-896 MHz	5dB Gain	C. Coil	Trilinear Spring Black



Mobile Load Coil Style

BB7603	760-870 MHz	4dBi Gain	5/8 Wave	Black
B7603R	760-870 MHz	4dBi Gain	5/8 Wave	Elastomer Spring
BB7603R	760-870 MHz	4dBi Gain	5/8 Wave	Elastomer Spring Blk
B7643	764-870 MHz	3dBi Gain	5/8 Wave	
B8063	806-866 MHz	3dBi Gain	5/8 Wave	
B8065C	806-866 MHz	5dB Gain	C. Coil	Collinear
B8065CR	806-866 MHz	5dB Gain	C. Coil	Collinear Elastomer Spring
BB8065CR	806-866 MHz	5dB Gain	C. Coil	Collinear Elastomer Spring Black
B8065CS	806-866 MHz	5dB Gain	C. Coil	Collinear Spring
BB8065CS	806-866 MHz	5dB Gain	C. Coil	Collinear Spring Black
BB8065C	806-866 MHz	5dB Gain	C. Coil	Collinear Black
B8065CN	806-866 MHz	5dB Gain	C. Coil	Collinear NGP
B8965C	896-970 MHz	5dB Gain	C. Coil	Collinear
B8965CR	896-970 MHz	5dB Gain	C. Coil	Collinear Elastomer Spring
BB8965CR	896-970 MHz	5dB Gain	C. Coil	Collinear Elastomer Spring Black
B8965CNR	896-970 MHz	5dB Gain	C. Coil	Collinear NGP Elast.Spring
BB8965CN	896-970 MHz	5dB Gain	C. Coil	Collinear NGP Black
BB8965CNR	896-970 MHz	5dB Gain	C. Coil	Collinear NGP Elastomer Spring Black
B8965CNS	896-970 MHz	5dB Gain	C. Coil	Collinear NGP Spring



Elevated Feed Style

EB8063	806-896 MHz	3dB Gain	Open Coil	Collinear Elevated Feed
EB8965C	896-970 MHz	5dB Gain	C. Coil	Collinear Elevated Feed

3/4" HOLE MOUNT ANTENNAS - Dual Band & Special Application

Quarterwave Style

QWFT120	118-970 MHz	Unity Gain	1/4 Wave	Field Tuneable
QWFTB120	118-970 MHz	Unity Gain	1/4 Wave	Field Tuneable Black

A-Base Style

A150/450C	150-174 / 450-470 MHz	Unity Gain	C.Coil	
AB150/450C	150-174 / 450-470 MHz	Unity Gain	C.Coil	Black
ABSCANC	150/450/800 MHz	RX Only	C.Coil	Collinear Black
AFT	118-196 MHz	Unity Gain	1/4 Wave	C.Coil



ABFT	118-196 MHz	Unity Gain	1/4 Wave	C.Coil	Black
AFTS	118-196 MHz	Unity Gain	1/4 Wave	C.Coil	Spring
ABFTS	118-196 MHz	Unity Gain	1/4 Wave	C.Coil	Spring Black

Mobile Load Coil Style

C144/440C	144-148 / 440-450 MHz	2/5 dB Gain	C.Coil	Collinear	
C150/450C	150-174 / 450-470 MHz	2/5 dB Gain	C.Coil	Collinear	
CB144/440C	144-148 / 440-450 MHz	2/5 dB Gain	C.Coil	Collinear	Black
CB150/450C	150-174 / 450-470 MHz	2/5 dB Gain	C.Coil	Collinear	Black
WPD136C-001	136-174 / 380-520 / 760-870 MHz	Unity Gain	C.Coil		

GPS ANTENNAS

3/4" Hole Mount

GPSU15M	1575.42 MHz	26dB Gain			
GPSNMOAO	1575.42 MHz	26dB Gain	On Flat NMO Bracket	No Conn.	

Magnetic / Adhesive Mount

GPS15MGSMA	1575.42 MHz	26dB Gain	SMA		
------------	-------------	-----------	-----	--	--

Permanent Mount


GPSD4503P	1575.42 / 450-470 MHz	26dB / 3dB Gain	TNC		
GPSDS1370P	1575.42 / 137-150 MHz	26dB / Unity Gain	BNC		
GPST821/18503P	1575.42 / 821-896 MHz	26dB / 3dB Gain	TNC		
GPSTW821/18503P	1575.42 / 821-896 MHz	26dB / 3dB Gain	TNC	White	

Trunk Lid Mount

TM8GPS	3/4" Trunk Mount w/Built In GPS Antenna	17' LMR195 & 17' RG174			
--------	---	------------------------	--	--	--

MOBILE MOUNT & ANTENNA ACCESSORIES


AS	Low Profile Base Chrome Spring w/Key & Set Screw
ASB	Low Profile Base Black Spring w/Key & Set Screw
BCORNG	O Rings for B Series & C Series Coils - 6 Pk
B4505CNRO	Replacement Whip for B4505CN
B4505CRO	Replacement Whip for B4505C
HS34	3/4" Hole Saw
HS34DB	Replacement Pilot Bit For HS34 Hole Saw
HS34RB	Replacement Blades (2) For HS34 Hole Saw
MBNUT	Brass Nut for Outer 3/4" Mount
MABNUT	Brass Nut for Outer 3/4" Mount
MOGSK	Mount Gaskets for 3/4" Mount
MORNG	Mount O-Rings for 3/4" Mount
P34	3/4" Hole Plugs - 6Pk
QWNUT	Chrome Quarterwave Nut
QWRC	Chrome 3/4" Rain Cap
QWRCB	Black 3/4" Rain Cap
RO21	Replacement Whip - 21" .100
RO49T	Replacement Whip for B1443, C27-C40
S	Chrome Spring for B_ & C_ Coils
SB	Black Spring for B_ & C_ Coils
MBC	Mobile To Base Converter For UHF/VHF SO239
MBCN	Mobile To Base Converter For UHF/VHF N Female
MBC800	Mobile To Base Converter For 800 MHz N Female



MOBILE MOUNTS

3/4" Hole Mounts

MBO	3/4" Hole Mount	No Cable Or Connector
MB8	3/4" Hole Mount	17' RG58A/U No Connector
MB8Bi	3/4" Hole Mount	17' RG58A/U BNC Installed
MB8M	3/4" Hole Mount	17' RG58A/U Mini UHF
MB8Mi	3/4" Hole Mount	17' RG58A/U Mini UHF Installed
MB8P	3/4" Hole Mount	17' RG58A/U PL259
MB8Pi	3/4" Hole Mount	17' RG58A/U PL259 Installed
MB8PS	3/4" Hole Mount	17' RG58A/U PL259 Solder
MB8U	3/4" Hole Mount	17' RG58U No Connector
MB8U25	3/4" Hole Mount	25' RG58U No Connector
MB8UMi	3/4" Hole Mount	17' RG58U Mini UHF Installed
MB8UP	3/4" Hole Mount	17' RG58U PL259
MB8UPi	3/4" Hole Mount	17' RG58U PL259 Installed
MB8X	3/4" Hole Mount	17' RG8X No Connector
MABTO	3/4" or 3/8" Hole Mount	No Cable No Connector 3/16"-1/4" Surface
MABVT8	3/4" or 3/8" Hole Mount	17' RG58A/U No Connector 1/2" Surfaces
MABVT8U	3/4" or 3/8" Hole Mount	17' RG58U No Connector 1/2" Surfaces
VTPM	3/4" Hole Mount	UHF Barrel Connection 1" Surfaces
VTPM800	3/4" Hole Mount	N Barrel Connection 1" Surfaces



3/8" Hole Mounts

MABO	3/8" Hole Mount	No Cable Or Connector
MXGPO	3/8" Snap In Ground Plane Mount	No Cable No Connector
MAB8PS	3/8" Hole Mount	17' RG58A/U PL259 (Solder On)
MAB8Mi	3/8" Hole Mount	17' RG58U Mini UHF
MAB8UMi	3/8" Hole Mount	17' RG58U Mini UHF
MAB8U	3/8" Hole Mount	17' RG58U No Connector
MABT8	3/8" Hole Mount	17' RG58A/U No Connector 1/4" Thick
MABT8M	3/8" Hole Mount	17' RG58A/U Mini UHF 1/4" Thick
MABT8P	3/8" Hole Mount	17' RG58A/U PL259 1/4" Thick
MABT8U	3/8" Hole Mount	17' RG58U No Connector 1/4" Thick
MABT8U25	3/8" Hole Mount	25' RG58U No Connector 1/4" Thick
MABTO	3/4" or 3/8" Hole Mount	No Cable No Connector 3/16"-1/4" Surface
MABVTO	3/4" or 3/8" Hole Mount	No Cable No Connector 1/2" Surfaces
MABVT8	3/4" or 3/8" Hole Mount	17' RG58A/U No Connector 1/2" Surfaces
MABVT8U	3/4" or 3/8" Hole Mount	17' RG58U No Connector 1/2" Surfaces

Magnetic Mounts

G8	Magnetic Mount	12' RG58A/U No Connector
G825	Magnetic Mount	25' RG58A/U No Connector
GB8	Magnetic Mount	12' RG58A/U No Connector Black
GBR8	Magnetic Mount	12' RG58A/U No Connector Black w/Boot
G8Bi	Magnetic Mount	12' RG58A/U BNC
GB8Bi	Magnetic Mount	12' RG58A/U BNC Black
G8Mi	Magnetic Mount	12' RG58A/U Mini UHF
G8Mi20	Magnetic Mount	20' RG58A/U Mini UHF
GB8Mi	Magnetic Mount	12' RG58A/U Mini UHF Black
G8Pi	Magnetic Mount	12' RG58A/U PL259



GR8Pi	Magnetic Mount	12' RG58A/U	PL259	w/Boot
GB8Pi	Magnetic Mount	12' RG58A/U	PL259	Black
GBR8Pi	Magnetic Mount	12' RG58A/U	PL259	Black w/Boot
G8Pi20	Magnetic Mount	20' RG58A/U	PL259	
G8U	Magnetic Mount	12' RG58U	No Connector	
G8U30	Magnetic Mount	30' RG58U	No Connector	
GB8U	Magnetic Mount	12' RG58U	No Connector	Black
GRO	Replacement Rubber Boot For G Series Magnet Mounts			
GM8	Mini Magnetic Mount	12' RG58A/U	No Connector	
GMB8	Mini Magnetic Mount	12' RG58A/U	No Connector	Black
GMB8Pi	Mini Magnetic Mount	12' RG58A/U	PL259	Black



Mirror Mounts

LBM9034	3/4" Hole Mirror Mount			
LBMB9034	3/4" Hole Mirror Mount	Black		
LBMB8	3/4" Hole Mirror Mount w/17' RG58	No Connector		
LBBMB8	3/4" Hole Mirror Mount w/17' RG58	No Connector	Black	
LBBMB8U	3/4" Hole Mirror Mount w/17' RG58U	No Connector	Black	
LBMB8PS	3/4" Hole Mirror Mount w/17' RG58 & PL259			



Bracket Mounts

LBH3400	Heavy Duty Stainless 3/4" Hole Trunk Groove Bracket			
LBT3400	Stainless 3/4" Hole L-Bracket			
LBTB3400	Stainless 3/4" Hole L-Bracket	Black		
LBT8	Stainless 3/4" Hole L-Bracket w/17' RG58A/U	No Connector		
LBT8U	Stainless 3/4" Hole L-Bracket w/17' RG58U	No Connector		
LBTB8	Stainless 3/4" Hole L-Bracket w/17' RG58A/U	No Connector	Black	
SBH3400	Stainless 3/4" Hole L/Straight Bracket For Dodge Ram Trucks			
SBT3400	Stainless 3/4" Hole Straight Bracket			
SBTB3400	Stainless 3/4" Hole Straight Bracket	Black		



Trunk Lid Mounts

TM8	Mini Trunk Lid Mount	17' RG58A/U	No Connector	
TMB8	Mini Trunk Lid Mount	17' RG58A/U	No Connector	Black
TMB8PS	Mini Trunk Lid Mount	17' RG58A/U	PL259	Black
TM8U	Mini Trunk Lid Mount	17' RG58U	No Connector	
TMB8U	Mini Trunk Lid Mount	17' RG58U	No Connector	Black
TM8GPS	3/4" Trunk Mount w/Built In GPS Antenna	17' LMR195 & 17' RG174		




CONNECTORS

CBNC58	Crimp BNC Male for RG58/RG8X			
CN58	Crimp N Male for RG58/RG8X			

TOOLS


CCT	Heavy Duty Crimp Tool for RG58 Connectors			
CCT213	Heavy Duty Crimp Tool for RG213/LMR400 Connectors			



MOBILE ACCESSORIES

NS1535	15A Noise Suppressor			
NS3035	30A Noise Suppressor			





RUBBER DUCK ANTENNAS

EXB150	150-162 MHz	BNC, KR, MD, MX, MXI, SF, SFU, SM, TNC, TNX
EXC450	450-470 MHz	BNC, MD, MX, SMA-M, SMA-F
EXC806	806-866 MHz	MD, SMA
EXC902	902-960 MHz	KR, MD, SMA, TNC
EXD450	902-960 MHz	BNC, MD, MX, SMA-F, SMA-M
EXE806	806-866 MHz	TNC
EXE821	821-902 MHz	SMA
EXH150	145-155 MHz	MX, SMA-F
EXH155	150-160 MHz	MX, SFK, SMA-M
EXH160	155-165 MHz	MX, MXI, SMA-F, SFK, SFU
EXH170SMI	155-165 MHz	SMA
EXL25BNX	25-29 MHz	BNC
EXP806SF	806-866 MHz	SMA-F
EXR2N902RTN	902-960 MHz	R/A Reverse Polarity TNC
EXR150	150-162 MHz	R/A BNC
EXR450	450-470 MHz	R/A BNC, MX
EXR806	806-869 MHz	R/A TNC
EXR821	821-896 MHz	R/A TNC
EXR902	902-960 MHz	R/A BNC, TNC
EXS150	150-162 MHz	BNC, MD, SMA-F, TNC
EXS806	806-866 MHz	SMA-F
G450BN	450-470 MHz	BNC
MAF94051	2.4 / 5.8 GHz	Right Angle RP SMA
MAF94300	824-2500 MHz	Right Angle SMA



MAF94051



MAF94300