


## SD-WMS 5 (NU) YE:9

Order No.: 0825832:9

The figure shows the article SD-WMS (CH) YE

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0825832:9>

Conductor marking collar, Labeled with the number: 9, yellow

**Commercial data**

GTIN (EAN)	4046356420778
sales group	B111
Pack	200 pcs.
Customs tariff	39269097
Weight/Piece	0.000052 KG

**Product notes**WEEE/RoHS-compliant since:  
09/22/2008

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Accessories**

Item	Designation	Description
<b>General</b>		
0826475	SD-WMS 5 TOOL	Threading pin for separation of SD-WMS 5... marking collars and their easy assembly
5020425	SORTI 1/10	Assortment box, dimensions: 170 x 105 x 32 mm, 10 compartments, compartment size: 50 x 32 mm

5020674	SORTI 2/12	Assortment box, dimensions: 210 x 105 x 36 mm, 12 compartments, compartment size: 57 x 32 mm
5020645	SORTI 3/ 7	Assortment box, dimensions: 250 x 170 x 46 mm, 7 compartments, compartment size 1: 98 x 39 mm, compartment size 2: 66 x 243 mm
5020438	SORTI 3/ 8	Assortment box, dimensions: 250 x 170 x 46 mm, 8 compartments, compartment size 1: 48 x 39 mm, compartment size 2: 98 x 39 mm, compartment size 3: 98 x 80 mm, compartment size 4: 66 x 243 mm
5028731	SORTI 3/18	Assortment box, dimensions: 250 x 170 x 46 mm, 18 compartments, compartment size 1: 48 x 39 mm, compartment size 2: 66 x 39 mm
5020658	SORTI 4/12	Assortment box, 12 compartments external dimensions 335 x 225 x 55 mm, material: Polystyrene
5031524	SORTI 4/24	Assortment box, dimensions: 335 x 225 x 55 mm, 24 compartments, compartment size 1: 53 x 53 mm
5145180	SORTI 4/8	Assortment box

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;