


SD-WMTB (70X10)

Order No.: 0826530

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0826530>

Label carrier made of plastic, for cable binder assembly

Commercial data	
GTIN (EAN)	 4 046356 414500
sales group	B111
Pack	100 pcs.
Customs tariff	39269097
Catalog page information	Page 188 (CL2-2011)

Product notes

WEEE/RoHS-compliant since:
05/15/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General	
Color	black
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Material	PVC

Accessories

Item	Designation	Description
General		
1005457	PKB 100X2,5	Cable tie, dimensions: L x W, 100 x 2.5 mm, color: transparent

1005512	PKB 100X2,5 BK	Cable tie, resistant to UV rays, dimensions: L x W, 100 x 2.5 mm, color: black
1005460	PKB 140X3,6	Cable tie, dimensions: L x W, 140 x 3.6 mm, color: transparent
1005525	PKB 140X3,6 BK	Cable tie, resistant to UV rays, dimensions: L x W, 140 x 3.6 mm, color: black
1005473	PKB 190X4,8	Cable tie, dimensions: L x W, 190 x 4.8 mm, color: transparent
1005538	PKB 190X4,8 BK	Cable tie, resistant to UV rays, dimensions: L x W, 190 x 4.8 mm, color: black
1005486	PKB 200X2,5	Cable tie, dimensions: L x W, 200 x 2.5 mm, color: transparent
1005541	PKB 200X2,5 BK	Cable tie, resistant to UV rays, dimensions: L x W, 200 x 2.5 mm, color: black
1005499	PKB 290X4,8	Cable tie, dimensions: L x W, 290 x 4.8 mm, color: transparent
1005554	PKB 290X4,8 BK	Cable tie, resistant to UV rays, dimensions: L x W, 290 x 4.8 mm, color: black
1005509	PKB 370X4,8	Cable tie, dimensions: L x W, 370 x 4.8 mm, color: transparent
1005567	PKB 370X4,8 BK	Cable tie, resistant to UV rays, dimensions: L x W, 370 x 4.8 mm, color: black

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;