

# Replacement die - CF 500/DIE RCI 6 - 1212240

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Die for crimping machine CF 500, for insulated cable lugs (C ... RCI... and C ... FCI...) 0.5 ... 6 mm<sup>2</sup>



## Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356449977

## Technical data

### Dimensions

Cable diameter	0.9 mm ... 2.9 mm
----------------	-------------------

### General

Compression	Oval crimp
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>

### Environmental Product Compliance

China RoHS	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"
------------	---

## Classifications

### eCl@ss

eCl@ss 10.0.1	17139201
eCl@ss 4.0	21043000
eCl@ss 4.1	21043000

# Replacement die - CF 500/DIE RCI 6 - 1212240

## Classifications

### eCl@ss

eCl@ss 5.0	21059000
eCl@ss 5.1	21059000
eCl@ss 6.0	21049000
eCl@ss 7.0	21049090
eCl@ss 8.0	21049090
eCl@ss 9.0	17139201

### ETIM

ETIM 3.0	EC001186
ETIM 4.0	EC001282
ETIM 5.0	EC001282
ETIM 6.0	EC001282
ETIM 7.0	EC001282

### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518
UNSPSC 18.0	27111518
UNSPSC 19.0	27111518
UNSPSC 20.0	27111518
UNSPSC 21.0	27111518

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

EAC		RU C- DE.AI30.B.01549
-----	---	--------------------------

## Replacement die - CF 500/DIE RCI 6 - 1212240

### Accessories

#### Accessories

#### Cover

#### Covering hood - CF 500/COV RCI - 1212255



Protective cover for crimping machine CF 500, for insulated cable lugs 0.14 - 6 mm<sup>2</sup> (RCI 1.5/6) and turned contacts 0.14 - 4 mm<sup>2</sup> (TC 4)

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>