

## Tool set - SF-SL/PZ SET VDE - 1212540

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screwdriver set, bladed/crosshead Pozidriv<sup>®</sup>, VDE insulated, 6-part, incl. rack

The figure shows version SF-SL/PH SET VDE

### Your advantages

- The SF-SL ... screwdriver sets are available with a variety of contents
- Wall-mountable screwdriver rack included

### Key Commercial Data

|              |   |
|--------------|---|
| Packing unit | 1 pc  |
| GTIN         | <br>4 046356 589758 |
| GTIN         | 4046356589758   |

### Technical data

#### Environmental Product Compliance

|                           |   |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

### Articles in set

Screwdriver - SZS 0,4X2,5 VDE - 1205037



Screwdriver, slot-headed, VDE insulated, size: 0.4 x 2.5 x 80 mm, 2-component grip, with non-slip grip

## Tool set - SF-SL/PZ SET VDE - 1212540

### Articles in set

Screwdriver - SZS 0,6X3,5 VDE - 1212602



Screwdriver, slot-headed, VDE insulated, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

Screwdriver - SZS 0,8X4,0 VDE - 1212508



Screwdriver, slot-headed, VDE insulated, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip

Screwdriver - SZS 1,0X5,5 VDE - 1209114



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 5.5 x 125 mm, 2-component grip, with non-slip grip

Philips screwdriver - SZK PZ1 VDE - 1206450



Screwdriver, PZ crosshead, VDE insulated, size: PZ 1 x 80 mm, 2-component grip, with non-slip grip

Philips screwdriver - SZK PZ2 VDE - 1206463



Screwdriver, PZ crosshead, VDE insulated, size: PZ 2 x 100 mm, 2-component grip, with non-slip grip

### Classifications

eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 21045003 |
| eCl@ss 4.0    | 21040200 |

# Tool set - SF-SL/PZ SET VDE - 1212540

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.1 | 21040200 |
| eCl@ss 5.0 | 21040200 |
| eCl@ss 5.1 | 21040200 |
| eCl@ss 6.0 | 21040200 |
| eCl@ss 7.0 | 21045003 |
| eCl@ss 8.0 | 21045003 |
| eCl@ss 9.0 | 21045003 |

### ETIM

|          |          |
|----------|----------|
| ETIM 4.0 | EC000149 |
| ETIM 5.0 | EC000149 |
| ETIM 6.0 | EC000149 |
| ETIM 7.0 | EC000149 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 27111701 |
| UNSPSC 7.0901 | 27111701 |
| UNSPSC 11     | 27111701 |
| UNSPSC 12.01  | 27111701 |
| UNSPSC 13.2   | 27113201 |
| UNSPSC 18.0   | 27113201 |
| UNSPSC 19.0   | 27113201 |
| UNSPSC 20.0   | 27113201 |
| UNSPSC 21.0   | 27113201 |

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

|     |  |                          |
|-----|--|--------------------------|
| EAC |  | RU C-<br>DE.AI30.B.01750 |
|-----|--|--------------------------|

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>