

Stripping tool - WIREFOX 10 VDE_DB - 1212813

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Stripping pliers, for removing the sheath from cables up to 5 mm in diameter, for stripping conductors with a cross section of up to 10 mm², scale for measuring the stripping length; VDE-tested. Type of packaging: with bracket for sales display (backcard)

Your advantages

WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

Key Commercial Data

Packing unit	6 pc
GTIN	
GTIN	4046356994774

Technical data

Dimensions

Length (b)	160 mm
Cable diameter	0.5 mm ... 3.7 mm
Stripping length	18 mm

General

Color	black
Min. cross section	0.2 mm ²
Max. cross section	10 mm ²
AWG min	24
AWG max	8

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Classifications

eCl@ss

eCl@ss 10.0.1	21043706
---------------	----------

Stripping tool - WIREFOX 10 VDE_DB - 1212813

Classifications

eCl@ss

eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043700
eCl@ss 7.0	21043706
eCl@ss 8.0	21043706
eCl@ss 9.0	21043706

ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC002109
ETIM 5.0	EC002109
ETIM 6.0	EC002109
ETIM 7.0	EC002109

UNSPSC

UNSPSC 13.2	27111510
UNSPSC 18.0	27111510
UNSPSC 19.0	27111510
UNSPSC 20.0	27111510
UNSPSC 21.0	27111510

Approvals


Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU x- DE.xx08.B.02974
-----	---	--------------------------

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>