


QPD CLIP 2,5 BK

Order No.: 1582235

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1582235>

Holding clip for Quickon-H distributor, for snapping on and removal without tools.

Commercial data

GTIN (EAN)	
sales group	D073
Pack	10 pcs.
Customs tariff	85472000
Catalog page information	Page 107 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
09/18/2007



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General characteristics

Design	QPD 4x2,5
Color	black
Locking type	Screw locking

Environmental conditions


Ambient temperature (operation)	-40 °C ... 80 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C
Temperature when conductor connected	-5 °C ... 50 °C

Material data

Insulating material	PA
Inflammability class acc. to UL 94	V0

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;