

Antenna cable - FL LCX PIG-EF142-N-N - 2700677

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


Antenna cable, outside diameter: 5 mm (0.2 in.), inner conductor: stranded, attenuation: 0.3 / 0.5 / 0.8 dB at 0.9 / 2.4 / 5.8 GHz, connection: 2 x N (male), cable length: 0.5 m (1.6 ft.)



Your advantages

- ✓ For outdoor installation
- ✓ Easy installation, thanks to flexible inner conductor
- ✓ UV resistant
- ✓ Oil-resistant
- ✓ Halogen-free
- ✓ Flame-retardant

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 619578
GTIN	4046356619578

Technical data

Dimensions

Fixed cable length	0.5 m
External diameter	5 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C
Ambient temperature (storage/transport)	-40 °C ... 105 °C

General

Connection method	N (male)
	N (male)
Cable type	EF 142

Antenna cable - FL LCX PIG-EF142-N-N - 2700677

Technical data

General

Outer sheath, material	RADOX®(LSFH)
External sheath, color	black
Minimum bending radius	30 mm
Frequency range	0.3 GHz ... 6 GHz
Impedance	50 Ω

Attenuation

868 / 900 MHz	0.3 dB
2.4 GHz	0.5 dB
5 GHz	0.8 dB

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 10.0.1	27060310
eCl@ss 4.0	27378000
eCl@ss 4.1	27378000
eCl@ss 5.0	27379100
eCl@ss 5.1	27379100
eCl@ss 6.0	27379200
eCl@ss 7.0	27379201
eCl@ss 8.0	27060310
eCl@ss 9.0	27060310

ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002498
ETIM 5.0	EC001682
ETIM 6.0	EC001682
ETIM 7.0	EC001682

UNSPSC

UNSPSC 6.01	20142601
UNSPSC 7.0901	20142601
UNSPSC 11	20142601
UNSPSC 12.01	20142601

Antenna cable - FL LCX PIG-EF142-N-N - 2700677

Classifications

UNSPSC

UNSPSC 13.2	39121421
UNSPSC 18.0	26121606
UNSPSC 19.0	26121606
UNSPSC 20.0	26121606
UNSPSC 21.0	26121606

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>