


# LCD TOUCH 5015 D IP VESA

Order No.: 2913302

<http://eshop.phoenixcontact.net/phoenix/treeViewClick.do?UID=2913302>LCD monitor with touch screen, 15" display, with digital image  
transmission, IP65 housing**Commercial data**

EAN	
Pack	1 pcs.
Customs tariff	85371091

[http://  
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)  
Please note that the data given  
here has been taken from the  
online catalog. For comprehensive  
information and data, please refer  
to the user documentation. The  
General Terms and Conditions of  
Use apply to Internet downloads.

**Technical data****Display data**

Display	38.1 cm/15" TFT active
Resolution	1024 x 768 Pixel (XGA)
Brightness	CCFL
Touch screen	Resistive industrial touch screen

**Computer data**

Processor	without
Main memory	ohne
Processor fan	Without fan
Data memory	without
Interfaces	1x DVI-D
Network	without
Operating systems	No operating system

Slots	without
Power supply unit	230 V AC

**General data**

External dimension, width	395 mm
External dimension, height	292 mm
External dimension, depth	65 mm
Mounting type	LCD monitor for mounting in the front panel

**Ambient Conditions**

Degree of protection	IP65
Ambient temperature (operation)	5 °C ... 45 °C
Ambient temperature (storage/transport)	-20 °C ... 60 °C
Permissible humidity (operation)	10 % ... 85 %
Permissible humidity (storage/transport)	10 % ... 85 %

**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2012 Phoenix Contact  
Technical modifications reserved;