

G1" Water Flow Sensor

SKU 314150000

Description

Water flow sensor consists of a plastic valve body, a water rotor, and a hall-effect sensor. When water flows through the rotor, rotor rolls. Its speed changes with different rate of flow. The hall-effect sensor outputs the corresponding pulse signal. This one is suitable to detect flow in water dispenser or coffee machine.

Features

- Compact, Easy to Install
- High Sealing Performance
- High Quality Hall Effect Sensor
- RoHS Compliant

Specifications

- Mini. Wokring Voltage: DC 4.5V
- Max. Working Current: 15mA (DC 5V)
- Working Voltage: DC 5V~24V
- Flow Rate Range: 2~100L/min
- Load Capacity: ≤10mA (DC 5V)
- Operating Temperature: ≤80°C
- Liquid Temperature: ≤120°C
- Operating Humidity: 35%~90%RH
- Water Pressure: ≤1.75MPa
- Storage Temperature: -25~+ 80°C
- Storage Humidity: 25%~95%RH

Technical Details

Dimensions	140mm x 80mm x 50mm
Weight	G.W 162g
Battery	Exclude
Part List	
G1" Water Flow Sensor	1

ECCN/HTS	
ECCN	Not Available
HSCODE	9026100000
Certification	
RoHS	Compliant

