



Menu

HOME / SUPERMICRO 900W MULTI-OUTPUT PS2/ATX POWER SUPPLY (PWS-903-PQ)

Supermicro 900W Multi-Output PS2/ATX Power Supply (PWS-903-PQ)

IN STOCK

\$182.70

Buy 10	\$175.16/each
Buy 100	\$167.62/each
Buy 1000	\$160.08/each

- Designed for Workstation and Desktop
- 24 Pin ATX Output
- 80 Plus Gold Efficiency
- Supermicro Certified

Qty: ADD TO CART

[Add to Wishlist](#) | [Add to Compare](#)

Feedback



More Views



PLEASE ENTER SKU# TO CHECK VALIDATION STATUS

System	Chassis
SKU #:	<input type="text" value="Please enter your server SKU"/> VALIDATION STATUS CLEAR <i>i</i>

- Description
- Detailed Specification
- Resources



Prop 65 Warning

Description

The Supermicro PWS-903-PQ is an 80 Plus Gold level power supply capable of continuously supplying 900W output power at 90% efficiency. Enjoy the simplicity of active power factor correction (PFC) and automatically correct AC input for a full range of voltages and a quiet fan to keep it cool under heavy loads. This power supply is designed to not only provide you reliable power to your desktop or workstation but also protects it from over voltage, over current and short circuiting via protective circuitry embedded into the unit. Rest easy knowing your hardware will be up and running with a mean-time between failure (MTBF) of greater than 100,000 hours and an LED indicator to keep you informed on normal/abnormal conditions for your PSU. All materials contained comply with RoHS requirements and is certified by Supermicro.

Cables Included:

- 1x 24 Pin ATX (Motherboard)
- 1x 8 Pin 12V (CPU)
- 1x (4+4) 8 Pin 12V (CPU)
- 2x 6 Pin PCI-E
- 2x (6+2) 8 Pin PCI-E
- 6x 4 Pin Legacy HDD
- 2x 4 Pin Floppy/DVD Drive
- 2x SATA Power Connectors

Feedback

Detailed Specification

TOTAL POWER OUTPUT	900W
TYPE	Single
TYPE OF POWER SUPPLY	Power Supply
FORM FACTOR	Tower
DIMENSION (W X H X L)	150 x 86 x 190
+5V	25A
+12V	12V1 25A, 12V2:25A, 12V3:25A, 12V4:25A Total:860W
+3.3V	25A
5V STANDBY	4A
INPUT VOLTAGE RANGE	100-240Vac
INPUT FREQUENCY RANGE	50-60Hz
INPUT CURRENT RANGE	10-6A
OUTPUT TYPE	24Pin ATX Cable Output
8PIN / 4PIN (12V) CONNECTOR	Both
PFC	

	Yes
PMBUS	No
ENERGY EFFICIENCY	90% Peak
80 PLUS CERTIFICATION	80 Plus Gold
WARRANTY	1 year warranty
PRODUCT ENVIRONMENTAL COMPLIANCE	RoHS and REACH compliant, details available upon request

Resources

TITLE	FORMAT	DATE
PWS-903-PQ	Spec Sheet	March 2017



Prop 65 Warning

This product can expose you to chemicals including lead, known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65Warnings.ca.gov

COMPANY

- ABOUT US
- CONTACT US
- CONDITION OF USE
- PRIVACY POLICY

QUICK LINKS

- FAQ

ACCOUNT

- MY ACCOUNT
- RETURN POLICY
- WARRANTY POLICY

SIGN UP FOR SPECIAL OFFERS

CONNECT WITH US

- FACEBOOK
- TWITTER
- YOUTUBE
- LINKEDIN
- GOOGLE+

