


**Product Details for 1 -111035 -3**



**1 -111035 -3**

[Active](#)

**Ribbon Cable Connectors (AMP -LATCH)**

[Not ELV or RoHS Compliant](#) ([Find RoHS Compliant Alternates](#))

**Product Highlights:**

- ? Connector Type = Paddleboard
- ? 60 Positions
- ? Without Mating Polarization
- ? Terminate To Printed Circuit Board
- ? Without Mounting Ears

[View all Features](#)

**Quick Links**

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

**Documentation & Additional Information**

**Product Drawings:**

- ? [KIT, AMP -LATCH PADDLEBOARD PREASSEMBLED, .100 LONG ...](#)  
(PDF, English)

**Catalog Pages/Data Sheets:**

- ? None Available

**Product Specifications:**

- ? None Available

**Application Specifications:**

- ? None Available

**Instruction Sheets:**

- ? None Available

**CAD Files:** ([CAD Format & Compression Information](#))

- ? [3D Model](#) (STEP, Version G)
- ? [3D Model](#) (IGES, Version G)
- ? [2D Drawing](#) (DXF, Version G)

[List all Documents](#)

**Additional Information:**

- ? [Product Line Information](#)

**Related Products:**

- ? [Tooling](#)

**Product Features** (Please use the Product Drawing for all design activity)

**Product Type Features:**

- ? Connector Type = Paddleboard
- ? [Number of Positions](#) = 60
- ? [Mating Polarization](#) = Without
- ? [Mounting Ears](#) = Without
- ? Special PCB Retention = Without
- ? Mating Connector Lock = Without
- ? Strain Relief = Without
- ? With Cover Preassembled = Yes
- ? PCB Thickness (mm [in]) = 1.60 [0.063]

**Contact Related Features:**

- ? [Contact Mating Area Plating](#) = Tin
- ? [Contact Termination Area Plating](#) = Tin
- ? Contact Material = Phosphor Bronze

**Housing Related Features:**

- ? [Housing Color](#) = Black
- ? Housing Material = Thermoplastic Polyester
- ? Housing Flammability Rating = UL 94V -0

**Configuration Related Features:**

- ? Cable Stop = Without

**Industry Standards:**

- ? [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C

**Conditions for Usage:**

- ? [Terminate To](#) = Printed Circuit Board

**Other:**

- ? Brand = AMP