

Search by part # or keyword Q

Products

Industries & Resources

rces **TE Store** 

Sign In





END STACK DIP 8P G RAISED T&R



Alcoswitch | Alcoswitch DIP EDS

TE Internal #: 2-2319847-9

TE Internal Description: END STACK DIP 8P G

**RAISED T&R** 

Product Type: Switch

Contact Mating Area Plating Material: Gold


Flash

Housing Color: Black

Housing Material: High Temperature Nylon

Sealed: No

Similar Products | 🛓 Digital Datasheet











Compatible Parts & Tooling

Product Drawings

END STACK DIP 8P G RAISED T&R

END STACK DIP 8P G RAISED T&R English

CAD Files

3D PDF

3D CVM\_CVM\_2-2319847-9\_A.pdf 3D

Customer View Model

ENG\_CVM\_CVM\_2-2319847-9\_A.2d\_dxf.zip

English

ENG\_CVM\_CVM\_2-2319847-9\_A.3d\_igs.zip

English

ENG\_CVM\_CVM\_2-2319847-9\_A.3d\_stp.zip

English

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type

Product Type: Switch

Features Sealed: No

Switch Type: **DIP Switch** 

Configuration Features

Number of Switches: 8

Configuration (Pole-Throw): Single Pole - Single Throw

Number of Positions: 8

Downloaded from Arrow.com.

	Electrical Characteristics	Voltage Rating (VDC): <b>24</b>
	Body Features	Actuator Color : <b>White</b>
	Contact Features	Shunt Type : <b>DIP</b> Contact Mating Area Plating Material : <b>Gold Flash</b> Solder Tail Contact Plating : <b>Gold Flash over Nickel</b>
	Mechanical Attachment	Mounting Type : <b>Surface Mount</b> Mounting Angle : <b>Vertical</b>
	Housing Features	Housing Color: Black Housing Material: High Temperature Nylon Centerline: 2.54 mm [.1 in]
	Dimensions	Height: <b>3.8 mm[.15 in]</b> Length: <b>20.22 mm[.796 in]</b>
	Usage Conditions	Operating Temperature Range (°C): -20 – 85
	Packaging Features	Packaging Quantity: 900 Packaging Method: Tape & Reel
	under 2015/863/EU apply as of	octive 2011/65/EU incl. Delegated Directive 2015/863/EU. The restrictions 5 22 July 2021 for EEE categories 8 (medical devices) and 9 (monitoring and
	EU ELV Directive 2000/53/EC	
	China RoHS 2 Directive MIIT Order No 32, 2016	
	EU REACH Regulation (EC) No. 1907/2006	Aktuelle ECHA Kandidatenliste: <b>JAN 2019 (197)</b> Kandidatenliste deklariert bezüglich: <b>JAN 2019</b> (197)
	Halogen Content	
Downlo	Solder Process Capability paded from Arrow.com.	Not reviewed for solder process capability

Statement of Compliance

Statement of Compliance pdf

Compliance **Documents** 

There may be Environmental Compliance related documents on the DOCUMENTATION Tab

#### Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidancedocuments/guidance-on-reach

# Products with Similar Specs

#### **View All Similar Products**

### THIS PRODUCT

## TOP RESULTS (2)

DIP & SIP SWITCHES

FDS08SGNNTR04O

END STACK DIP 8P G RAISED T&R



Non-Stocked

Product Type: Switch Material: Gold Flash Housing Color: Black Housing Material: High Temperature Nylon

Contact Mating Area Plating Sealed: No

DIP & SIP SWITCHES EDS08SGNNTU04Q

END STACK DIP 8P G RAISED TUBE



Non-Stocked

Product Type: Switch Contact Mating Area Plating Material: Gold Flash Housing Color: Black Housing Material: High Temperature Nylon Sealed: No

DIP & SIP SWITCHES

FDS08SNRNTR04O

END STACK DIP 8P J RECESS T&R



Non-Stocked

Product Type : Switch Contact Mating Area Plating Material: Gold Flash Housing Color: Black Housing Material: High Temperature Nylon

Sealed: No

Non-Stocked

DIP & SIP SWITCHES

EDS08SGRNTU04Q

END STACK DIP 8P G RECESS TUBE

Product Type: Switch Contact Mating Area Plating Material: Gold Flash Housing Color: Black Housing Material: High

Temperature Nylon Sealed: No

Downloaded from Arrow.com.

# Also in the Series | Alcoswitch DIP EDS



ABOUT TE CONNECTIVITY FOR PARTNERS SUPPORT CALL US LIVE CHAT SELECT COUNTRY (EN)