

**Product Specifications:**

? None Available

**Application Specifications:**

? None Available

**Instruction Sheets:**

? None Available

**CAD Files:**

? None Available

**Product Features**

(Please use the Product Drawing for all design activity)

**Product Type Features:**

? Termination Type = Solder Hook Terminals

**Electrical Characteristics:**

- ? Input Voltage (VDC) = 26.5
- ? Contact Current Rating (Amps.) = 2
- ? Coil Polarity Protection Diode = Without
- ? Transistor Driver = Without
- ? Coil Resistance (?) = 1350
- ? MOSFET Driver = Without
- ? Coil Power Measurement = Milliwatts
- ? Coil Power, Nominal (mW) = 520
- ? Actuating System = DC
- ? Shock = 75 G's, 6ms
- ? Vibration = 30G's, 10 to 3000Hz

**Body Related Features:**

? [Series](#) = 3SBC 1/5 -Size Relay

**Contact Related Features:**

- ? Mounting Options = Chassis Mount
- ? Enclosure = Hermetically Sealed
- ? Approved Standards = M39016 Qualified, M Level

**Configuration Related Features:**

- ? [Contact Arrangement](#)
- ? Coil Magnetic System = Monostable
- ? Coil Suppression Diode

**Industry Standards:**

- ? Government/Industry Qualified
- ? Government/Industry Part Number M39016/37 -026M
- ? [RoHS/ELV Compliance](#) compliant
- ? [Lead Free Solder Process](#) lead free processing

**Conditions for Usage:**

- ? Temperature Range (°C)

**Other:**

- ? Brand = CII

[Provide Website Feedback](#) | [Contact Customer Support](#)

[Home](#) | [Customer Support](#) | [Suppliers](#) | [Site Map](#) | [Privacy Policy](#) | [Browser Support](#)

© 2008 Tyco Electronics Corporation All Rights Reserved