


**Product Details for 5822330 - 3**



**5822330 - 3**

[Active](#)

**Memory Sockets**

[RoHS Compliant \(Statement of Compliance\)](#)

**Product Highlights:**

- ? Tin Contact Mating Area Plating
- ? SIMM
- ? Number of Positions = 72
- ? 1.27 mm Centerline
- ? Number of Rows = Single

[View all Features](#)

**Quick Links**

- [Check Pricing & Availability](#)
- [Search for Tooling Product Feature Selector](#)
- [Contact Us About This Product](#)

**Documentation & Additional Information**

**Product Drawings:**

- ? [CONNECTOR, MICRO - EDGE, .050 LP, TIN PL, W/ METAL LATCH](#) (PDF, English)

**Catalog Pages/Data Sheets:**

- ? None Available

**Product Specifications:**

- ? None Available

**Application Specifications:**

- ? None Available

**Instruction Sheets:**

- ? None Available

**CAD Files:**

- ? None Available

**Additional Information:**

- ? [Product Line Information](#)

**Related Products:**

- ? [Tooling](#)

[List all Documents](#)

**Product Features** (Please use the Product Drawing for all design activity)

**Product Type Features:**

- ? [Product Type](#) = SIMM
- ? [Number of Positions](#) = 72
- ? [Module Orientation](#) = 22°
- ? Proprietary Name = MICRO -EDGE
- ? Polarization = Right
- ? Profile = Low

**Termination Related Features:**

- ? [Termination Post Length \(mm \[in\]\)](#) = 2.92 [0.115], 3.56 [0.140]

**Body Related Features:**

- ? [Centerline \(mm \[in\]\)](#) = 1.27 [0.050]
- ? [Number of Rows](#) = Single
- ? [Ejector Location](#) = None
- ? Center Post = Without
- ? Latch Material = Stainless Steel

**Contact Related Features:**

- ? Contact Mating Area Plating = Tin
- ? [Contact Mount](#) = Thru Hole
- ? Contact Material = Phosphor Bronze
- ? [Retention Post\(s\) Location](#) = None

**Housing Related Features:**

- ? Housing Material = Liquid Crystal Polymer (LCP)

**Configuration Related Features:**

- ? [Insertion Style](#) = Cam -In
- ? [Center Key \(mm \[in\]\)](#) = None

**Industry Standards:**

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

**Packaging Related Features:**

- ? Packaging Method = Tube
- ? Packaging Quantity = 200

**Other:**

- ? Brand = AMP