

Keyspan Mini DisplayPort to VGA/HDMI All-in-One Video Converter Adapter, 4K 30Hz HDMI, DP1.2, White, 6 in.

MODEL NUMBER: P137-06N-HV-V2W



All-in-one converter/adapter connects your Mini DisplayPort or Thunderbolt-enabled laptop or tablet to a VGA or HDMI display without the need to carry separate adapters. Ideal for trade shows, classrooms and lecture halls.

Description

No more carrying around separate adapters for various monitors, projectors and televisions. The P137-06N-HV-V2W Keyspan® Mini DisplayPort 1.2 to VGA/HDMI All-in-One Converter Adapter connects your laptop or tablet's Mini DisplayPort or Thunderbolt 1 & 2 port to a VGA or HDMI display. The simple all-in-one solution for displaying content on a larger screen, the P137-06N-HV-V2W is ideal for trade shows, classrooms, lecture halls and other presentations.

The all-in-one unit features female HD15 and HDMI connectors. It supports video resolutions up to 1920 x 1200, including 1080p (HD15), and 4K x 2K Ultra High Definition (UHD) up to 3840 x 2160 (HDMI) @ 24/30 Hz. It also supports 36-bit Deep Color (12 bits per channel).

The P137-06N-HV-V2W is compatible with laptops, tablets and other devices equipped with a female Mini DisplayPort or Thunderbolt™ 1/2 port. It's completely plug-and-play with no software or drivers to install or external power supply needed. With its small size and built-in cable, the P137-06N-HV-V2W is perfect for stowing in your laptop bag and carrying to school, the office or the latest trade show.

Features

Connects Your Mini DisplayPort Laptop or Tablet to a VGA or HDMI Display

- Ideal for trade shows, classrooms, lecture halls and other presentations
- HD15 port supports video resolutions up to 1920 x 1200, including 1080p
- HDMI port supports UHD video resolutions up to 3840 x 2160 (4K x 2K) @ 24/30 Hz
- Supports 36-bit Deep Color (12 bits per channel)

Highlights

- Separate HD15 and HDMI female connectors
- HDMI port supports UHD 4K x 2K @ 24/30 Hz video resolutions
- The P137-06N-HV-V2W is a Passive adapter, and requires the connected computer to have a DP++ (Displayport ++) port
- Plug and play—no software, drivers or power supply needed
- Small size for easy carrying in laptop bag or briefcase

System Requirements

- The P137-06N-HV-V2W is a Passive adapter, and requires the connected computer to have a DP++ (Displayport ++) port

Package Includes

- P137-06N-HV-V2W Keyspan Mini DisplayPort 1.2 to VGA/HDMI All-in-One Converter Adapter, 6 in.
- Owner's manual



Plug-and-Play Convenience

- No software or drivers to install
- No external power supply required
- Small enough to stow in laptop bag or briefcase
- The P137-06N-HV-V2W is a Passive adapter, and requires the connected computer to have a DP++ (Displayport ++) port

Specifications

OVERVIEW	
UPC Code	037332193223
INPUT	
Cable Length (ft.)	0.5
Cable Length (m)	0.2
Cable Length (in.)	6
Cable Length (cm)	15.24
PHYSICAL	
Color	White
Shipping Dimensions (hwd / cm)	9.91 x 11.94 x 1.27
Shipping Dimensions (hwd / in.)	3.90 x 4.70 x 0.50
Shipping Weight (kg)	0.07
Shipping Weight (lbs.)	0.15
CONNECTIONS	
Side A - Connector 1	MINI DISPLAYPORT (MALE)
Side B - Connector 1	HD15 (FEMALE)
Side B - Connector 2	HDMI (FEMALE)
FEATURES & SPECIFICATIONS	
Technology	HDMI; VGA/SVGA; DisplayPort
WARRANTY	
Product Warranty Period (Worldwide)	3-year limited warranty



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>