

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

Protect It! 230V Surge Protector with 5 French/Belgian Outlets, 1M Cord, 280 Joules, French plug, Diagnostic LED

MODEL NUMBER: TLP51F



Description

Tripp Lite's Protect ItI™ TLP51F offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP51F offers 5 "French" Type E outlets and a 1 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP51F offers economical AC surge suppression
- 280 joules AC surge suppression shields equipment from surges and line noise
- 5 "French" Type E outlets protect computers and peripherals
- 1 m cord with French plug
- "Protected" LED
- · Internal safety covers protect against accidental contact with unused outlets

Specifications

OVERVIEW		
UPC Code	037332145468	
OUTPUT		
Output (Watts)	2300	
Output Receptacles	(5) French/Belgian	
Circuit Breaker (amps)	10	

Highlights

- 5 safety outlets
- 1 m cord
- "Protected" LED
- 280 joule rating

Package Includes

- TLP51F surge suppressor
- Instruction manual and product warranty information



Transformer Accommodation	(3) Yes
INPUT	
Nominal Input Voltage(s) Supported	230V AC
Recommended Electrical Service	230V (220-250V)
Voltage Compatibility (VAC)	220-250
Input Plug Type	French
Input Cord Length (ft.)	3
Right-Angle Plug	Yes
Input Cord Length (m)	0.91
Integrated Cord Clip	No
USER INTERFACE, ALERTS & CON	TROLS
Diagnostic LED(s)	Yes
Diagnostic LED Details	Protected
SURGE / NOISE SUPPRESSION	
AC Suppression Joule Rating	280
Automatic Shut-Off	No
DATALINE SURGE SUPPRESSION	
Telephone/DSL Protection	No
Cable (Coax) Protection	No
Network (Ethernet) Protection	No
PHYSICAL	
Anti-Microbial Protective Coating	No
Color	Light Gray
Color (AC Line Cord)	Light Gray
Housing Color	Light grey
Integrated Keyhole Mounting Slots	No
Receptacle Color	Light gray
Shipping Dimensions (hwd / cm)	30.48 x 5.51 x 11.51
Shipping Dimensions (hwd / in.)	12.00 x 2.17 x 4.53
Shipping Weight (kg)	0.41
Shipping Weight (lbs.)	0.90
Unit Dimensions (hwd / cm)	26.49 x 4.01 x 5.08



Unit Dimensions (hwd / in.)	10.43 x 1.58 x 2	
Unit Weight (kg)	0.39	
Unit Weight (Ibs.)	.87	
SPECIAL FEATURES		
Rotatable Outlets	No	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies