







Surface Mount Miniature Trimmers 3 mm Single-Turn Cermet Sealed


FEATURES

- 0.125 Watt at 70 °C
- Small Size for Optimum Packing Density
- Suitable for both manual and automatic operation


**RoHS
COMPLIANT**
DIMENSIONS in millimeters

TS3 YJ

**RECOMMENDED
SOLDERING AREAS**

 General tolerance ± 0.25
CIRCUIT DIAGRAM

SOLDERING RECOMMENDATIONS

see Application notes

ELECTRICAL SPECIFICATIONS	
Resistive Element	Cermet
Electrical Travel	220°
Resistance Range	10 Ω to 2 M Ω
Stocked Range	1 k Ω to 100 k Ω
Standard Series	1 - 2 - 5
Tolerance Standard	$\pm 20\%$
Power Rating	0.125 W at 70 °C
Temp. Coefficient (Max.)	± 150 ppm/°C
Limiting Element Voltage (Max.)	200 V
Contact Resistance Variation	3 % or 3 Ω
End Resistance	1 % or 3 Ω
Dielectric Strength (Rms)	500 V
Insulation Resistance	100 M Ω

MECHANICAL SPECIFICATIONS

Mechanical Travel	250°
Operating Torque (max. Ncm)	0.5
End Stop Torque (min. Ncm)	2
Unit Weight (max. g)	0.1
Mechanical Life (Cycles)	50


ENVIRONMENTAL SPECIFICATIONS

Temperature Range	- 55 °C + 125 °C
Sealing	sealed container IP 67

STANDARD RESISTANCE TABLE

RESISTANCE	PART MARKING CODE	RESISTANCE CODE
10	A1	100
20	21	200
50	51	500
100	A2	101
200	22	201
500	52	501
1000	A3	102
2000	23	202
5000	53	502
10 000	A4	103
20 000	24	203
50 000	54	503
100 000	A5	104
200 000	25	204
500 000	55	504
1 000 000	A6	105
2 000 000	26	205

PACKAGING SPECIFICATIONS




ORDERING INFORMATION

TS3 SERIES	YJ STYLE	500 kΩ OHMIC VALUE	± 20 % TOLERANCE	TR1000 PACKAGING
---------------	-------------	-----------------------	---------------------	---------------------

TR1000 = tape and reel 1000 pcs

SAP PART NUMBERING GUIDELINES





Notice

Specifications of the products displayed herein are subject to change without notice. Vishay Intertechnology, Inc., or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Vishay's terms and conditions of sale for such products, Vishay assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of Vishay products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify Vishay for any damages resulting from such improper use or sale.