

2019



wiha 

Tools that work for you

PROFESSIONAL SCREWDRIVERS & NUT DRIVERS



COMPLETE SCREWDRIVER AND NUT DRIVER PROGRAM



Slotted • Phillips • TORX® • Security TORX® • Hex Inch/Metric • Ball End Hex
MagicRing Hex • Security Hex • Nut Drivers • Pozidriv® • Square • Tri-Wing
TORXPlus® • Pentalobe • Terminal Xeno Slotted/Phillips & Phillips/Pozidriv®

Wiha SoftFinish® CushionGrip Screwdrivers

Description	Page
SoftFinish® Slotted/Phillips Drivers	4-7
Stubby Slotted/Phillips Drivers	7
SoftFinish® Square Drivers	7
SoftFinish® Pozidriv® Drivers	8
SoftFinish® Spanner Drivers	8
Torx®/TR Torx® Screwdrivers	9-10
SoftFinish® TorxPlus® Drivers	11
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	8

Wiha 3K Series Screwdrivers

Description	Page
3K Series Slotted/Phillips	15
3K Series Torx Drivers	14
3K Series Pozidriv® Drivers	15
3K Series Bit Holders	14
3K Series Hex Inch & Metric	16

Wiha Drive-Loc VI Tools

Description	Page
Drive-Loc VI Handles	17
Drive-Loc VI Blades	17-19

Wiha Drive-Loc VI Sets

Description	Page
Drive-Loc VI Blade Sets	18-19

Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
MicroFinish Slotted Drivers	19-20
MicroFinish Phillips Drivers	19-20
MicroFinish Torx Drivers	20
MicroFinish Bit Holder	20

Wiha Powerhandle Screwdrivers

Description	Page
Powerhandle Torx® Drivers	21

Wiha Protturn Screwdrivers

Description	Page
Protturn Torx® Drivers	21

Wiha Square Handle Screwdrivers

Description	Page
Slotted & Phillips Drivers	22

Wiha Offset Screwdrivers

Description	Page
Slotted & Phillips Offset Drivers	22
TORX Offset Screwdrivers	22

Wiha Power Blades & Sets

Description	Page
CentroFix Blade Holder	23, 39
90mm Power Blades	23-24
Power Blade Sets	24
Power Blade Nut Drivers 100mm Inch/Metric & Sets	39-40

Wiha Magnetizer/Demagnetizer

Description	Page
Magnetizer/Demagnetizer	31

Wiha Precision Screwdrivers

	Description	Page
	Precision Slotted Drivers	25-27
	Precision Phillips Drivers	25-27
	Precision Pozidriv® Drivers	26
	Precision Hex Drivers	26
	Precision Ball End Drivers	27
	Precision Torx® Drivers	27
	Precision Pentalobe Drivers	28
	Precision Chip Lifters	25
	Precision Pocket Clip & Rack	25
	Precision Screwdriver Sets	28

Wiha Precision PicoFinish Drivers

	Description	Page
	PicoFinish Screwdrivers	29-30
	Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	

Wiha Protturn Precision Screwdrivers

	Description	Page
	Protturn Precision Screwdrivers	31
	Slotted & Phillips	
	Protturn Precision Blade Sets	31

Wiha ESD Safe Precision Handles/Blades

	Description	Page
	SYSTEM 4 Handles/Blades	32-33
	SYSTEM 4 Sets	34

Wiha ESD Safe Precision Handle & Blades

	Description	Page
	SYSTEM 4 Drive-Loc Handle & Blades	33
	SYSTEM 4 Drive-Loc Set	33

Wiha Nut Drivers

	Description	Page
	Spanner Nut Drivers	8
	SoftFinish® Nut Drivers	35-38
	Hollow Shaft Nut Drivers	37
	T-handle Nut Drivers	38
	Drive-Loc VI Nut Drivers	39
	Precision Nut Drivers	40
	PicoFinish® Nut Drivers	28
	SYS 4 Nut Driver Blades/Sets	34
	Power Blade Nut Drivers	39-40

Wiha Insulated Screwdrivers



- Insulated Slotted
- Insulated Phillips
- Insulated Terminal Block Xeno
- Insulated Square Drivers
- Insulated Hex Metric Drivers
- Insulated Torx® Drivers
- Insulated Nut Drivers
- Insulated Torque Drivers
- Insulated SlimLine Drivers

Wiha ESD Safe Screwdrivers

ESD Safe SoftFinish® Drivers
Slotted/Phillips/Torx

ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
Handles/Blades/Sets

ESD Safe Drive-Loc VI
Handles/Blades/Sets



Wiha SoftFinish® Handle - Ergonomic Cushion Grip

The Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened & hard chrome finish for unmatched durability

Wiha tips are precision machined to exact tolerances for a perfect fit every time



Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

Wiha SoftFinish® Extra Heavy Duty



530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Slotted	Phillips	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53010*	3.5	.139	75	3.0	0.6	.024	4.0	5/32	186	7.3	30	1.18	.16	10		
53015*	4.5	.177	90	3.5	0.8	.031	4.0	5/32	201	7.9	30	1.18	.17	10		
53020	5.5	.196	100	3.9	1.0	.039	5.0	13/64	213	8.4	36	1.42	.23	10		
53025	6.5	.255	125	5.0	1.2	.047	6.0	1/4	238	9.4	36	1.42	.33	10		
53027	8.0	.315	150	5.9	1.2	.047	8.0	5/16	268	10.6	41	1.61	.56	10		
53035	10.0	.393	175	7.0	1.6	.063	8.0	5/16	293	11.6	41	1.61	.58	10		
53040	12.0	.472	200	8.0	2.0	.079	10.0	25/64	318	12.5	41	1.61	.76	10		

*No Hex Bolster



531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53110	1	80	3.1	5.0	13/64	186	7.3	30	1.18	.20	10
53115	2	100	3.9	6.0	1/4	213	8.4	36	1.42	.32	10
53120	3	150	5.9	8.0	5/16	268	10.6	41	1.61	.56	10



53090 5pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Phillips:	lbs.
53090	5.5, 6.5, 8.0mm	#1, 2	1.85



53075 5pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Phillips:	lbs.
53075	4.5, 5.5, 6.5mm	#1, 2	1.48




53096 6pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Phillips:	lbs.
53096	3.5, 4.5, 5.5, 6.5mm	#1, 2	1.69

SoftFinish® Extra Heavy Duty




53097 7pc Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted:	
No.	5.5, 6.5, 8.0, 10.0mm	lbs.
53097	Phillips: #1, 2, 3	3.15



53099 10pc Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted: 3.5, 4.5, 5.5,	
No.	6.5, 8.0, 10.0, 12.0mm	lbs.
53099	Phillips: #1, 2, 3	4.20

SoftFinish® Slotted & Phillips



30276 7pc Slotted & Phillips Set CVM

steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.














Item No.	Tip Size	Blade	Tip Style		lbs.
30816	1/4"	4" Hex	Keystone		1.87
30825	5/16"	6" Hex	Keystone		
30218	3/16"	3" Round	Cabinet		
30219	3/16"	6" Round	Cabinet		
30222	1/4"	4" Round	Cabinet		
31110	#1	3" Round	Phillips		
31115	#2	4" Round	Phillips		

Wiha SoftFinish® Heavy Duty Screwdriver



308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque (No Bolster 30813 & 30814)














Item														lbs.	pkg.	
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30813	3.5	.137	75	2.9	0.6	.023	186	7.3	4.0	5/32	30	1.18	.16	10		
30814	4.5	.177	90	3.5	0.8	.032	201	7.9	4.0	5/32	30	1.18	.17	10		
30815	5.5	.216	100	3.9	1.0	.039	213	8.4	5.0	13/64	36	1.42	.19	10		
30816	6.5	.216	100	3.9	1.2	.047	213	8.4	6.0	1/4	36	1.42	.22	10		
30817	6.5	.255	125	5.0	1.2	.047	238	9.4	6.0	1/4	36	1.42	.23	10		
30820	7.0	.275	125	5.0	1.1	.043	238	9.4	6.0	1/4	36	1.42	.23	10		
30825	8.0	.315	150	5.9	1.2	.047	271	10.7	8.0	5/16	41	1.61	.37	10		
30830	10.0	.393	175	7.0	1.6	.063	296	11.7	8.0	5/16	41	1.61	.40	10		
30835	12.0	.472	200	8.0	2.0	.079	321	12.6	10.0	25/64	41	1.61	.58	10		



312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item														lbs.	pkg.
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs. <td>pkg. </td>	pkg.
31201	1	80	3.1	5.0	3/16	186	7.3	30	1.18	.13	10				
31202	2	100	3.9	6.0	7/32	213	8.4	36	1.42	.21	10				
31203	3	150	5.9	8.0	5/16	271	10.7	41	1.61	.37	10				



30892 5pc Slotted & Phillips Set

Item	Slotted:	
No.	5.5, 7.0, 8.0mm	lbs.
30892	Phillips: #1, 2	1.33



30898 8pc Slotted & Phillips Set

Item	Slotted: 5.5, 6.5,	
No.	7.0, 8.0, 10.0mm	lbs.
30898	Phillips: #1, 2, 3	2.52



30896 6pc Slotted & Phillips Set

Item	Slotted: 3.5, 4.5,	
No.	5.5, 7.0mm	lbs.
30896	Phillips: #1, 2	1.34

Wiha SoftFinish® Handle - Standard Series



302 Slotted Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	↓	↓	⇄	⇄	⊕	⊕	⇄	⇄	⊕	⊕	↶↷	⇄
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05	10
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05	10
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06	10
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06	10
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07	10
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07	10
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07	10
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09	10
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11	10
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12	10
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14	10
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11	10
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12	10
30219*	4.5	.187	150	5.9	0.8	.031	261	10.2	30	1.18	.12	10
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15	10
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24	10
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20	10
30222	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17	10
30223	6.5	.255	100	3.9	1.2	.039	218	8.6	36	1.42	.20	10
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22	10
30226	6.5	.255	200	8.0	1.2	.047	318	12.5	36	1.42	.22	10
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29	10
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30	10
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36	10
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36	10
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52	10

*Cabinet Tips



311 Phillips Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	⊕	⇄	⇄	↓	↓	⇄	⇄	⊕	⊕	↶↷	⇄
	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31105	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31110	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31112	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31114	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18	10
31115	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31117	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25	10
31118	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30	10
31120	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10
31125	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51	10



30294 6pc Slotted/Phillips Screwdriver Set

Item No.	↓	⇄	⊕	⇄	↶↷
	mm	mm	Size	mm	lbs.
30294	4.0	100	1	80	1.29
	6.5	150	2	100	
	8.0	150			
	4.0*	25			

*Stubby screwdriver with Wiha SoftFinish® handle



30298 8pc Slotted/Phillips Screwdriver Set

Item No.	↓	⇄	⊕	⇄	↶↷
	mm	mm	Size	mm	lbs.
30298	3.0	100	1	80	1.87
	4.0	100	2	100	
	5.5	125	3	150	
	6.5	150			
	8.0	175			



30297 12pc Slotted & Phillips Screwdriver Set

Item No.	↓	⇄	⊕	⇄	↶↷
	mm	mm	Size	mm	lbs.
30297	3.0	100	0	60	2.48
	4.0	100	1	80	
	5.5	125	2*	25	
	6.5	150	2	100	
	6.5*	25	3	150	
	8.0	175			
	10	200			

*Stubby screwdriver with Wiha SoftFinish® handle

Wiha SoftFinish® Handle - Stubby Screwdrivers



302 Stubby Slotted Screwdriver, With Wiha-SoftFinish® Handle

Item No.	↓	⊕	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	lbs.	pkg.
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm		
30239	4.0	.157	25	1.0	0.8	.031	75	2.95	34	1.34	.09	10			
30255	5.5	.216	25	1.0	1.0	.039	75	2.95	34	1.34	.09	10			
30265	6.5	.255	25	1.0	1.2	.047	75	2.95	34	1.34	.10	10			



311 Stubby Phillips Screwdriver, With Wiha-SoftFinish® Handle

Item No.	⊕	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	lbs.	pkg.
	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
31135	1	25	1.0	4.5	.177	75	3.0	34	1.34	.09	10				
31140	2	25	1.0	6.0	.236	75	3.0	34	1.34	.10	10				



31193 2pc Slotted Stubby Screwdriver Set

Item No.	↓	⊖	⊖	⊖	⊖	lbs.
	mm	mm	mm	mm	mm	
31193	4.0	25	6.5	25	.24	



31192 2pc Phillips Stubby Screwdriver Set

Item No.	⊕	⊖	⊖	⊖	⊖	lbs.
	Size	mm	Size	mm	mm	
31192	1	25	2	25	.24	

Wiha SoftFinish® Handle - Square Drivers



358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖	lbs.	pkg.
	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
35800	0	80	3.1	4.0	5/32	191	7.5	30	1.18	.11	10				
35801	1	100	3.9	4.5	5/32	210	8.2	30	1.18	.12	10				
35802	2	150	5.9	6.0	1/4	268	10.5	36	1.42	.19	10				
35803	3	150	5.9	6.0	1/4	268	10.5	36	1.42	.22	10				



30290 10pc Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted:	Phillips:	Square:	lbs.
30290	3.0, 3.5, 4.5, 6.5mm	0, 1, 2	1, 2, 3	1.54



31190 2pc Slotted & Phillips Stubby Screwdriver Set

Item No.	↓	⊖	⊕	⊖	⊖	lbs.
	mm	mm	Size	mm	mm	
31190	4.0	25	1	25	.24	



31191 2pc Slotted & Phillips Stubby Screwdriver Set

Item No.	↓	⊖	⊕	⊖	⊖	lbs.
	mm	mm	Size	mm	mm	
31191	6.5	25	2	25	.24	



30289 8pc Slotted, Phillips & Square Cushion Grip Drivers In Molded Case

Item No.	Slotted:	Phillips:	Square:	lbs.
30289	3.0, 4.5, 5.5, 6.5mm	#1, 2	#0, 1	1.69



35894 4pc SoftFinish® Square Tip Screwdriver Set

Round blade high alloy CVM steel, hardened, hard chromed.

Item No.	⊖	⊖	⊖	lbs.
	Size	mm	Size	mm
35894	0	80	2	150
	1	100	3	150



30291 6pc Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted:	Phillips:	Square:	lbs.
30291	4.5, 6.5mm	1, 2	1, 2	1.00

Wiha SoftFinish® Pozidriv®



313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31305	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31310	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31312	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31315	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31320	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10

Wiha SoftFinish® Slotted Spanner Nut Drivers



305 Slotted Spanner Nut Drivers, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	mm	mm	Inch	mm	Inch	pkg.
30520	M2	80	3.5	1.0	4.5	184	7.2	23	.91	1
30523	M2.3	90	3.5	1.0	5.0	201	7.9	30	1.18	1
30526	M2.6	100	3.9	1.2	5.5	201	7.9	30	1.18	1
30535	M3.5	100	3.9	1.4	7.0	218	8.6	36	1.42	1
30540	M4	100	3.9	1.4	8.0	218	8.6	36	1.42	1
30580	M8	150	5.9	3.0	14.0	274	10.8	41	1.61	1

Soft Grip BiCut SuperCut & Screwdriver Set



32644 7pc Soft Grip BiCut SuperCut & Screwdriver Set

Item No. BiCut SuperCut:
32644 8.0"/200mm BiCut SuperCut
Screwdrivers: Phillips: #0, #1, #2
Slotted: 3.0, 4.0, 6.5mm

Industrial BiCut SuperCut & Screwdriver Set



30942 7pc Industrial BiCut SuperCut & Screwdriver Set

Item No. BiCut SuperCut:
30942 8.0"/200mm BiCut SuperCut
Screwdrivers: Phillips: #0, #1, #2
Slotted: 3.0, 4.0, 6.5mm

Wiha SoftFinish® Handle - Standard Series Sets



30299 20pc Slotted, Phillips, TORX®, Square & Pozidriv® Set


Item No.	Slotted:	Phillips:	TORX®:	Square:	Pozidriv®:	lbs.
30299	3.0, 4.0, 5.5, 6.5, 8.0mm	0, 1, 2	T6, T8, T10, T15, T20, T25, T30	1, 2, 3	1, 2	3.27

Soft Grip BiCut SuperCut & Screwdriver Set

Wiha SoftFinish® CushionGrip Drivers



*Inch & Metric scale on #2 Phillips



Perfect for measuring small parts on the go

30295 5pc Slotted & Phillips Screwdriver Set

Item No.	Slotted	Phillips	Size	mm	lbs.
30295	3.0, 4.0, 6.5	1, 2*	80, 100	1.02	

Wiha SoftFinish® CushionGrip Drivers

With Inch & MM Scale on Blades




Inch and Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Precision machined exact fit tips
- Hard chrome surfaces for incredible wear resistance



31194 2pc Slotted & Phillips Measuring Scale Screwdriver Set

Item	Slotted	Phillips	Size	mm	lbs.
No.	mm	mm			
31194	5.5	125	2	100	.37



Inch & Metric scales



302 Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item	Slotted	Phillips	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.	
30237	5.5	7/32	125	5.0	1.0	.039	236	9.3	30	1.18	30-110	.16	10	



Inch & Metric scales



311 Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item	Phillips	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.	
31137	2	100	3.9	6.0	1/4	218	8.6	36	1.42	20-90	.21	10	

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*
- Stainless rotary spring



Screw Holding TORX®

Laser Welded MagicSpring Assembly



362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	Torx	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
36202	T6	60	2.4	3.5	.139	164	6.5	23	.91	.07	10	
36203	T7	60	2.4	3.5	.139	164	6.5	23	.91	.07	10	
36207	T8	60	2.4	3.5	.139	164	6.5	23	.91	.07	10	
36234	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10	
36244	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10	
36249	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10	
36254	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.16	10	
36256	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.17	10	
36257	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.20	10	
36258	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.21	10	



36290 6pc Set MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item	Torx	Size	mm	Torx	Size	mm	lbs.
No.	Size	mm	Size	mm	lbs.		
36290	T8	60	T20	100	.98		
	T10	80	T25	100			
	T15	80	T30	115			

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31	10



#36291



36291 6pc TORX® SoftFinish® - Cushion Grip Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item	⚙️	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	

36201 6pc Set - TORX®

Item	⚙️	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	



36294 8 Piece TORX® Set

Item	TORX®:	⚙️
No.	T6, T8, T10, T15,	lbs.
36294	T20, T25, T27, T30	1.38



36267 12 Piece TORX® Set

Item	TORX®:	⚙️
No.	T5, T6, T7, T8, T9,	lbs.
36267	T10, T15, T20, T25, T27, T30, T40	2.03

Wiha Security TORX® Screwdrivers



362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	30	1.18	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	30	1.18	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



36298 7pc Set - Security TORX®

Item	Security TORX®:	⚙️
No.	T7s, T8s, T9s, T10s,	lbs.
36298	T15s, T20s, T25s	.95



36259 10pc Set - Security TORX®

Item	Security TORX®:	⚙️
No.	T7s, T8s, T9s, T10s,	lbs.
36259	T15s, T20s, T25s, T27s, T30s, T40s	1.5

Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



36296 6pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36296	IP6	60	IP9	60	.62
	IP7	60	IP10	80	
	IP8	60	IP15	80	



36299 7pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36299	IP8	60	IP25	100	.99
	IP10	80	IP30	115	
	IP15	80	IP40	130	
	IP20	100			



In clamshell for hanging

Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle In Clamshell

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36214	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	1
36231	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	1
36232	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	1
36241	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	1
36242	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	1
36246	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	1
36247	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	1
36252	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	1
36262	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	1
36263	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	1
36265	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	1



36297 8pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36297	IP6	60	IP10	80	1.47
	IP7	60	IP15	80	
	IP8	60	IP20	100	
	IP9	60	IP25	100	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
36710*	.050	3.1	80	179	7.0	23	.91	.06	10	
36713*	1/16	3.1	80	204	8.0	23	.91	.06	10	
36716*	5/64	3.9	100	204	8.0	23	.91	.07	10	
36719*	3/32	3.9	100	204	8.0	23	.91	.07	10	
36723*	7/64	3.9	100	211	8.3	23	.91	.07	10	
With MagicRing										
36726	1/8	3.9	100	243	9.6	30	1.18	.12	10	
36728	9/64	3.9	100	243	9.6	30	1.18	.12	10	
36732	5/32	5.0	125	271	10.7	30	1.18	.12	10	
36734	3/16	6.0	150	271	10.7	30	1.18	.16	10	
36736	7/32	6.0	150	271	10.7	36	1.42	.23	10	
36738	1/4	6.0	150	271	10.7	36	1.42	.25	10	
36742	5/16	8.0	200	271	10.7	36	1.42	.37	10	
36744	3/8	8.0	200	271	10.7	41	1.61	.54	10	

* Standard Ball - No Ring



36791 13pc MagicRing Inch Ball End Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex	Hex
No.	Inch	Inch	Inch	Inch	lbs.	
36791	.050*	3.0	5/32	5.0	2.58	
	1/16*	3.0	3/16	6.0		
	5/64*	4.0	7/32	6.0		
	3/32*	4.0	1/4	6.0		
	7/64*	4.0	5/16	8.0		
	1/8	4.0	3/8	8.0		
	9/64	4.0				

* Standard Ball - No Ring



36793 8pc MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex	Hex
No.	Inch	Inch	Inch	Inch	lbs.	
36793	1/8	4.0	7/32	6.0	2.25	
	9/64	4.0	1/4	6.0		
	5/32	5.0	5/16	8.0		
	3/16	6.0	3/8	8.0		



36794 6pc MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex	Hex
No.	Inch	Inch	Inch	Inch	lbs.	
36794	1/8	4.0	3/16	6.0	1.34	
	9/64	4.0	7/32	6.0		
	5/32	5.0	1/4	6.0		

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel



Screw Holding



36790 9pc MagicRing Metric Ball End Hex Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Length	Hex	Length	Weight
	mm	mm	mm	mm	lbs.
36790	1.5*	75	5.0	150	2.06
	2.0*	100	6.0	150	
	2.5*	100	8.0	200	
	3.0	100	10.0	200	
	4.0	125			

* Standard Ball - No Ring

367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Length	Hex	Length	Weight	Pkg.			
	mm	mm	Inch	mm	Inch	lbs.	pkg.		
36715*	1.5	75	3.0	179	7.0	23	.91	.06	10
36720*	2.0	100	3.9	204	8.0	23	.91	.07	10
36725*	2.5	100	3.9	204	8.0	23	.91	.07	10
With MagicRing									
36730	3.0	100	3.9	204	8.0	23	.91	.07	10
36740	4.0	125	5.0	211	8.3	30	1.18	.12	10
36750	5.0	150	5.0	243	9.6	30	1.18	.16	10
36760	6.0	150	5.0	243	9.6	36	1.42	.23	10
36780	8.0	200	8.0	268	10.6	36	1.42	.37	10
36786	10.0	200	8.0	271	10.7	41	1.61	.54	10

* Standard Ball - No Ring



36792 6pc MagicRing Metric Ball End Hex Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Length	Hex	Length	Weight
	mm	mm	mm	mm	lbs.
36792	3.0	100	6.0	150	1.86
	4.0	125	8.0	200	
	5.0	150	10.0	200	

Switch Cabinet Keys



21105 Pen Style Control Cabinet Key
For applications with all common switch cabinets and locking systems. Diecast Zinc, polished finish. Includes: Square 5, 6, 7, 8mm, Triangular 9mm, Double Bit Key 5mm/Internal & 9mm/External, Universal 1/4" Bit Adapter, Magnetic Bit Holder & 2 Double Insert Bits: Slotted 7mm / Phillips #2 / TORX T20/T25

Item No.	mm	Inch	Pkg.	lbs.
21105	140	5.5"	1	.30



21103 Switch Cabinet Key
For applications with all common switch cabinets and locking systems. Diecast Zinc. Bit insert Slotted 7.0mm & Phillips #2. Adapter for 1/4" bits on securing chain and 1/4" bit adapter in one arm.

Item No.	mm	Inch	Pkg.	lbs.
21103	76	3.0"	1	.22

Wiha SoftFinish® Bit Holders

Magnetic



Retainer out of stainless steel

384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Pkg. 1


Item	○	≡	≡	≡	↵	↵
No.	Size	mm	Inch	mm	Inch	lbs.
38450	1/4"	125	5.0	240	9.46	.23
38460	1/4"	300	11.8	400	15.69	.37



For working in confined spaces

28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	≡	≡	↵	↵
No.	Inch	mm	Inch	lbs.	pkg.
28103	1/4"	57	2.2	.11	1



Plastic coated flexible metal

Stainless steel with retaining ring

38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	≡	≡	↵	↵		
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
38600	1/4"	150	5.9	268	10.6	.30	1

Adjustable Blade Length
Magnetic Bit Holder



28489 Drive-Loc VI Bit Holder

High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	≡	↵	↵
No.	Inch	Extends	lbs.	pkg.
28489	1/4"	1-3/4" to 4-7/8"	.36	1

Wiha 3K Series Screwdrivers and Sets

3K Ergonomic Series Screwdrivers & Sets

Hole in handle for hanging

Blades made of CVM tool steel, chromed shaft

Exact fit precision machined black tips



Dual material handle has molded soft grip panels



458 Square Tip Screwdriver, With Wiha-3K Series Handle Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip. Pkg. 1

Item	○	≡	≡	≡	↵	↵
No.	Size	mm	Inch	mm	Inch	lbs.
45831	1	80	3.1	187	7.3	.14
45832	2	100	3.9	210	8.3	.16
45833	3	150	5.9	271	10.7	.24



45891 3pc Square Tip 3K Driver Set Blade CVM, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item	Slotted:	↵	↵	lbs.
No. 45891	#1, 2, 3			.52



455 TORX® Screwdriver, With Wiha-3K Series Handle Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item	⊛	≡	≡	⊚	⊚	≡	≡	↵	↵
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



45593 5pc TORX® Set Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item	TORX® :	↵	↵	lbs.
No. 45593	T8, T10, T15, T20, T25			.86

Wiha 3K Series Screwdrivers and Sets



450 Slotted Screwdriver, With Wiha-3K Series Handle Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item	Slotted	Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.	
45050**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10	
45052**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10	
45054**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10	
45055	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10	
45056	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10	
45057	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10	
45058	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10	
45060	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10	
45062	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10	
45064*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10	
45065	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10	
45067	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10	

* Stubby screwdriver with Wiha Powerhandle - 45064
 ** Cabinet Tip



451 Phillips Screwdriver, With Wiha-3K Series Handle pkg. 10

Item	Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips	Stubby Phillips
No.	mm	mm	Inch	mm	Inch	lbs.
45135	0	60	2.4	145	5.7	.06
45140	1	200	8.0	307	12.0	.16
45142	2	100	3.9	218	8.5	.21
45147	2	200	8.0	318	12.5	.25
45152	3	150	5.9	268	10.5	.31



45190 18pc Phillips 3K Driver & Bit Set
Item No. Screwdrivers: #0x60, #1x80, #1x200,
 #190 #2x100, #2x150, #2x200, #3x150mm
Insert Bits: #0(2), #1(2), #2(4), #3(2)
 lbs. 1.62 **Stubby Phillips:** #2x40mm



452 Poizidriv® Screwdriver, With Wiha-3K Series Handle
 Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item	Poizidriv	Stubby Poizidriv	Stubby Poizidriv	Stubby Poizidriv	Stubby Poizidriv	Stubby Poizidriv
No.	Size	mm	Inch	mm	Inch	lbs. pkg.
45205	0	60	2.4	146	5.7	.06 10
45207	0	100	3.9	186	7.3	.07 10
45220	1	100	3.9	207	8.1	.14 10
45225	2	100	3.9	219	8.6	.21 10
45230	2	150	5.9	269	10.6	.23 10
45235	3	150	5.9	269	10.6	.31 10



46094 6pc Slotted/Phillips 3K Driver Set
Item Slotted: #1, #2
No. 3.0, 4.5, 5.5, 6.5mm lbs.
46094 Phillips: #1, 2 .91




46097 8pc Slotted/Phillips 3K Driver Set
Item Slotted: #1, #2, #3
No. 3.0, 4.5, 6.0, 8.0mm lbs.
46097 Phillips: #1, 2, 3 1.70
Stubby Phillips: #2

NOTES:

Blank lines for notes.

Wiha Ball End 3K Series Screwdrivers & Sets



Fast angle entry

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips

Yellow = Inch
 Red = Metric



Metric / Soft Grip

467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
46715	1.5	75	3.0	161	6.3	.07	10
46720	2.0	100	3.9	186	7.3	.07	10
46725	2.5	100	3.9	186	7.3	.07	10
46730	3.0	100	3.9	186	7.3	.07	10
46740	4.0	100	3.9	197	7.8	.11	10
46750	5.0	100	3.9	197	7.8	.13	10
46760	6.0	150	5.9	257	10.1	.21	10
46786	10.0	200	8.0	319	12.6	.52	10




Inch / Soft Grip

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	Inch	Inch	mm	Inch	mm	lbs.	pkg.
46702	.050	2.9	75	6.3	160	.07	10
46704	1/16	2.9	75	6.3	160	.07	10
46706	5/64	3.9	100	7.3	185	.07	10
46708	3/32	3.9	100	7.3	185	.07	10
46710	7/64	3.9	100	7.3	185	.07	10
46712	1/8	3.9	100	7.7	196	.09	10
46716	5/32	3.9	100	7.7	196	.11	10
46722	7/32	5.9	150	10.0	254	.19	10
46726	5/16	7.9	200	12.0	305	.34	10
46728	3/8	7.9	200	12.5	318	.48	10



46797 13pc 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Hex Inch:	lbs.
46797	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.40



46794 6pc 3K Ergo Inch Ball End Hex Screwdriver set

Item No.	Hex Inch:	lbs.
46794	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.97

NOTES:

Blank area for notes.



Wiha Drive-Loc VI Handles & Blades

For Adjustable Length Locking Blades

Ergonomic handles in ESD Safe, cushioned & non-slip grip



See Drive-Loc VI Nut drivers on Page 39

Blade length can be adjusted from 1.7 to 4.7" in 1/8" increments

Blades high quality CVM steel, hard chrome finish

Adjust interchangeable blades from 40 to 120mm

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange



28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



10810 Drive-Loc VI Standard Narrow Profile Tech Handle

Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
10810	6.0	135	5.3	15.2	.60	.16



281 Slotted Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm	lbs.	pkg.	
28106	3.5 4.5	.10	1	
28108	5.5 6.5	.10	1	



281 Slotted & Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + Size	lbs.	pkg.	
28107	3.0 0	.10	1	
28109	4.0 1	.10	1	
28110	6.0 2	.10	1	



28112 Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28112	1 2	.10	1	



28137 Square Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.


Item				
No.	Size + Size	lbs.	pkg.	
28137	1 2	.10	1	



28114 Pozidriv® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28114	1 2	.10	1	



281 Tri-wing® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28138	0 1	.10	1	
28139	2 3	.10	1	
28140	4 5	.10	1	



281 Torq Set® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28142	2 4	.08	1	
28143	6 8	.10	1	



281 TORX® Drive-Loc VI Interchangeable Blade

OAL 150mm/5.9"

Item				
No.	Size + Size	lbs.	pkg.	
28126	T6 T8	.10	1	
28127	T7 T9	.10	1	
28128	T10 T15	.10	1	
28129	T20 T25	.10	1	
28130	T30 T40	.10	1	



281 Security TORX® Drive-Loc VI Interchangeable Blade

OAL 150mm/5.9"

Item				
No.	Size + Size	lbs.	pkg.	
28132	T6s T8s	.10	1	
28133	T7s T9s	.10	1	
28134	T10s T15s	.10	1	
28135	T20s T25s	.10	1	
28136	T30s T40s	.10	1	

Wiha Drive-Loc VI Blades



281 Hex Metric Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	Hex	Hex	Length	Weight	Pkg.
No.	mm	mm	lbs.		
28149	2.0	2.5	.09		1
28150	3.0	4.0	.10		1
28151	5.0	6.0	.10		1



281 Hex Inch Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	Hex	Hex	Length	Weight	Pkg.
No.	Inch	Inch	lbs.		
28122	3/32	7/64	.10		1
28123	1/8	9/64	.10		1
28124	5/32	3/16	.10		1



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade Ball end enables the user to work at angles up to 25°. OAL 150mm/5.9". Fits all Drive-Loc VI handles.

Item	Hex	Hex	Length	Weight	Pkg.
No.	mm	mm	lbs.		
28116	2.5	2.5	.10		1
28117	3	3	.10		1
28118	4	4	.10		1
28119	5	5	.10		1
28120	6	6	.10		1

Drive-Loc VI Interchangeable Blade Sets



28187 32pc ESD Safe Drive-Loc VI Interchangeable Blade Set, In Folding Wallet Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28187	Weight
	lbs. 3.66
Slotted: 3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha ESD Safe SoftFinish® Cushion Grip	



28483 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	Weight
	lbs. .35
No. 28483	
Slotted/Phillips: 3.0+#0, 4.0+#1, 6.0+#2	
Square: #1+#2 & Pozidriv®: #1+#2	



28479 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	Weight
	lbs. .35
No. 28479	
Tri-Wing: #0+#1, #2+#3, #4+#5	
Torq Set: #2+#4, #6+#8	



28477 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	Weight
	lbs. .35
No. 28477	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	

Wiha Drive-Loc VI Blade 5 Pack Sets



28474 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	Weight
	lbs. .36
No. 28474	
Hex Metric: 3.0+4.0, 5.0+6.0mm	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"	



28476 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item	Weight
	lbs. .36
No. 28476	
Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm	



28485 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item No. 28485	Weight
	lbs. .35
TORX®: T6+T8, T7+T9, T10+T15, T20+T25, T30+T40	

Drive-Loc VI Interchangeable Blade Set In Tool Box Tray



Tool box set in blow molded tray




28191 33pc Drive-Loc VI Interchangeable Blade Set, In Tool Box Tray Set includes Drive-Loc VI handles & 31 Drive-Loc VI blades.

Item No. 28191	Weight
	lbs. 3.48
Slotted: 3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha SoftFinish® Cushion Grip & MicroFinish Non-Slip Grip Handles	



28194 5pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item No. 28194  lbs.


Slotted: 3.5+4.5, 5.5+6.5 **.80**

Phillips: 1+2 **Square:** 1+2

SoftFinish® Cushion Grip Blade Lock Handle



28197 6pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item  lbs.


No. 28197 **.83**

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

SoftFinish® Cushion Grip Blade Lock Handle



28199 10pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item No. 28199  lbs.

Slot/Ph: 4.0+1, 6.0+2 **1.11**


TORX®: T6+T8, T7+T9, T10+T15, T20+T25

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"

SoftFinish® Cushion Grip Blade Lock Handle



28189 15pc Drive-Loc VI Interchangeable Blade Set, In Folding Wallet Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189  lbs. **1.75**

Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

SoftFinish® Cushion Grip Blade Lock Handle

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - It won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. Get maximum force & comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Through hardened blades & hard chrome finish

Exact fit precision ground tips

CVM, hardened & tempered tool steel blade, gives exceptional tool life, wear resistance & high torque performance

Hex bolster & steel strike cap on 533 & 534 series



520 Slotted Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52005*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.16	10
52010*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.17	10
52020*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.20	10
52025*	5.5	.216	150	5.9	1.0	.039	261	10.3	30	1.18	.21	10
52035	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.28	10
52040	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.37	10
52050	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.50	10

*Cabinet Tips




521 Phillips Screwdriver, With Wiha-MicroFinish Handle

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52105	1	80	3.1	191	7.5	30	1.18	.15	10
52110	1	200	8.0	311	12.2	30	1.18	.21	10
52115	2	100	3.9	218	8.6	36	1.42	.26	10
52120	2	200	8.0	318	12.5	36	1.42	.34	10
52125	3	150	5.9	274	10.8	41	1.61	.41	10




52090 5pc Slotted & Phillips Screwdriver Set

Blade CVM steel, hardened, hard chromed.

Item No.	Slotted:	 lbs.
52090	4.0x100, 5.5x125, 8.0x150mm	1.23




52099 12pc MicroFinish® Slotted & Phillips Screwdriver Set

Item No.	Slotted:	 lbs.
52099	4.0x100, 4.0x150, 5.5x125, 5.5x150, 6.5x150, 8.0x150, 10.0x200mm	4.20




52097 7pc Slotted/Phillips Screwdriver Set

Item No.	Slotted:	 lbs.
52097	4.0x100, 5.5x125, 8.0x150mm	1.35



52098 8pc Slotted/Phillips Screwdriver Set

Item No.	Slotted:	 lbs.
52098	4.0x100, 5.5x125, 6.5, 8.0x150, 10.0x200mm	2.58

Wiha MicroFinish Extra Heavy Duty Non-Slip Grip Handle



533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	↓	↓	←	←	←	←	←	←	←	←	←	←
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	30	1.18	.20	10
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	36	1.42	.33	10
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	36	1.42	.38	10
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	41	1.61	.61	10
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	41	1.61	.65	10

*No hex bolster



534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	+	←	←	←	←	←	←	←	←	←
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
53405	1	80	3.1	186	7.3	30	1.18	.22	10	
53410	2	100	3.9	213	8.4	36	1.42	.37	10	
53425	3	150	5.9	268	10.6	41	1.61	.71	10	



53390 5pc Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted:	←
No.	5.5, 6.5, 8.0mm	lbs.
53390	Phillips: #1, 2	2.1



53398 8pc Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted: 4.5*, 5.5,	←
No.	6.5, 8.0, 10.0mm	lbs.
53398	Phillips: #1, 2, 3	3.7

*No hex bolster

Wiha TORX® MicroFinish Handle Non-Slip Grip



527 TORX® Screwdriver, With Wiha-MicroFinish Handle Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item	★	←	←	↓	↓	←	←	←	←	←	←
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	30	1.18	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	30	1.18	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.40	10



52790 5pc TORX® Blade CVM steel,

hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX®	←
No.	T10, T15, T20,	lbs.
52790	T25, T30	1.0

Wiha MicroFinish Non-Slip Grip Bit Holder



52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated.

Item	○	←	←	←	←	←	←
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
52650	1/4	125	5.0	244	9.6	.24	10













52791 8pc TORX® Blade CVM steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX® : T9, T10,	←
No.	T15, T20, T25,	lbs.
52791	T27, T30, T40	1.89

Wiha Powerhandle TORX® Made in Germany



362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item										
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10	
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10	
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10	

Wiha TORX® Protturn Screwdrivers


protturn
TORX®

Through hardened for optimum wear resistance

Molded on ergonomic handle proportioned to blade sizes

High performance tool steel

Black finish blades

45589 11pc TORX®






Item No. TORX® :

45589 T6, T7x50mm, T8, T9x60mm, T10, T15x80mm, T20, T25x100mm, T27, T30x115mm, T40x130mm













Retainer out of stainless steel

48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48400	1/4"	125	5.0	243	9.6	.24	10



455 TORX® Screwdriver, With Wiha-Protturn Handle Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item										
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10	
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10	
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10	
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10	
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10	
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10	
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10	
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10	

Wiha Offset Screwdrivers



161 Phillips Offset Screwdriver, With Handle For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.


Item	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
16112	1 + 2	125	4.9	5.5	.217	.08	10



207 Slotted Offset Screwdriver, With Handle

Item	+	+	+	+	+	+	+	+
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
20700	3.5	9/64	90	3.5	0.6	.02	.02	10
20715	6.5	1/4	125	5.0	1.2	.05	.07	10
20725	10.0	3/8	175	6.9	1.6	.06	.23	10

Wiha Cabinet Tip Slotted & Phillips Screwdrivers



186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle Blade CVM steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations. Wiha-square handle cellulose-acetate, impact resistant.

Item	+	+	+	+	+	+	+	+	+	+	+	+
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
18654	6.0	.24	100	3.9	0.90	.04	205	8.1	28	1.10	.19	10
18657	6.0	.24	150	5.9	0.90	.04	255	10.0	28	1.10	.21	10
18681	10.0	.39	200	8.0	1.60	.06	315	12.4	32	1.26	.37	10

Wiha Offset Screwdrivers



207 TORX® Offset Screwdriver With Molded Handle Working in confined spaces. CVM special steel, hardened, black finish.

Item	TORX	+	+
No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1



20799 TORX® Offset Screwdriver Set, 5pc Molded Handle.

Item	T6+T8, T7+T9,	+	+
No.	T10+T15, T20+T25,	lbs.	pkg.
20799	T27+T30	.24	1



76087 61pc Power Blade Service Kit

Set includes Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

Item No. 76087 lbs. 1.34

90mm Power Blades: Slotted: 4.5, 5.5, 6.0mm

Phillips: #1, 2, 3 & **Square:** #1, 2, 3

75mm Security TORX® Bits: T10s, T15s, T20s, T25s, T27s, T30s

MicroBits: Phillips: #000, 00, 0, 1, 2,

Slotted: .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32,

7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10







Magnetic Nut Setters: 1/4, 5/16, 3/8"

Wiha Power Blades



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26

90mm Power Blades

CentroFix quick release bit holder with magnet






Ergonomic SoftFinish® cushion grip handle

Blades high quality CVM steel, hard chrome finish



760 Slotted Power Blades



S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76035	2.5	.02	1
76036	3.0	.02	1
76037	4.5	.03	1
76038	5.5	.03	1
76039	6.0	.04	1



760 Square Power Blades




S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76056	1	.02	1
76057	2	.03	1
76058	3	.04	1




760 Spanner Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76026	4	.03	1
76022	6	.03	1
76023	8	.04	1
76024	10	.04	1




76093 5pc Slotted Blade Set

Item		Set includes:
No.	lbs.	Slotted: 2.5, 3.0, 4.5,
76093	.16	5.5, 6.0mm x 90mm




76095 3pc Square Blade Set

Item		Set includes:
No.	lbs.	Square: #1, 2,
76095	.11	3 x 90mm






76089 3pc Spanner Blade Set

Item		Set includes:
No.	lbs.	Spanner: #6, 8,
76089	.12	10 x 90mm



760 Phillips Power Blades




S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76041	0	.01	1
76042	1	.02	1
76043	2	.03	1
76044	3	.04	1



760 Pozidriv® Power Blades




S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76011	1	.03	1
76012	2	.04	1
76013	3	.04	1




760 Tri-Wing Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76031	1	.02	1
76032	2	.02	1
76033	3	.03	1
76034	4	.04	1




76094 4pc Phillips Blade Set

Item		Set includes:
No.	lbs.	Phillips: #0, 1, 2,
76094	.17	3 x 90mm




76091 3pc Pozidriv® Blade Set

Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm



76088 4pc Tri-Wing Blade Set

Item		Set includes:
No.	lbs.	Tri-Wing: #1, 2,
76088	.16	3, 4 x 90mm



Wiha 90mm Power Blades & Sets



760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76001	2.5	.02	1
76002	3.0	.02	1
76003	4.0	.03	1
76004	5.0	.04	1



76090 4pc Security Hex Blade Set

Item		Set includes:
No.	lbs.	Metric: 2.5, 3.0,
76090	.12	4.0, 5.0 x 90mm



760 Security Hex Inch Power Blades

OAL 90mm/3.5".

Item			
No.	Inch	lbs.	pkg.
76046	5/64	.01	1
76047	3/32	.02	1
76048	7/64	.02	1
76049	1/8	.03	1
76050	9/64	.03	1
76051	5/32	.04	1
76052	3/16	.04	1
76053	7/32	.05	1
76054	1/4	.06	1



76096 10pc Security Hex Blade Set

Item		Set includes:
No.	lbs.	Inch: 1/16*, 5/64,
76096	.32	3/32, 7/64, 1/8,
		9/64, 5/32, 3/16,
		7/32, 1/4" x 90mm

* 1/16" Standard Inch Hex Only



760 Security TORX® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76008	T8s	.02	1
76009	T9s	.02	1
76010	T10s	.02	1
76015	T15s	.02	1
76020	T20s	.02	1
76025	T25s	.03	1
76027	T27s	.03	1
76030	T30s	.04	1
76040	T40s	.04	1



76092 9pc Security TORX® Blade Set

Item		Set includes:
No.	lbs.	T8s, T9s, T10s, T15s,
76092	.30	T20s, T25s, T27s, T30s, T40s



760 Hex Inch Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Inch	lbs.	pkg.
76045	1/16	.01	1
76005	5/64	.01	1
76007	3/32	.02	1
76008	7/64	.02	1
76014	1/8	.03	1
76016	9/64	.03	1
76017	5/32	.04	1
76018	3/16	.04	1
76019	7/32	.05	1
76021	1/4	.06	1



76098 36pc Power Blade Set, In Folding

Wallet Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

Item No. 76098 lbs. 1.86

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Security Hex Metric: 2.5, 3.0, 4.0, 5.0mm

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

Spanner: #6, 8, 10 & Tri-Wing: #1, 2, 3, 4

Cushion Grip CentroFix Blade Holder



76099 37pc Power Blade Set, In Folding

Wallet Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

Item No. 76099 lbs. 2.06

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s

Security Hex Inch: 1/16*, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

4" Nut Setters: 1/4, 5/16, 3/8"

Cushion Grip CentroFix Blade Holder

* 1/16" Standard Inch Hex Only



76079 Canvas Folding Wallet

Holds 38 90mm power blades.

Item		
No.	Size	lbs. pkg.
76079	7-1/8" x 6" x 2"	.42 1

Wiha Precision Slotted/Phillips Drivers

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
CVM steel,
Hard chrome finished

Tip
precision ground for exact fit,
hard chromed non-slip surface

260 Slotted Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.
26008	.80	1/32	40	1.6	0.16	120	4.7	.02
26010	1.0	.039	40	1.6	0.18	120	4.7	.02
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02
26018	1.8	.070	40	1.6	0.30	120	4.7	.02
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07

261 Phillips Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26102	000	40	1.6	2.0	.08	120	4.7	.02
26100	00	40	1.6	2.0	.08	120	4.7	.02
26101	00	75	3.0	2.0	.08	155	6.1	.02
26105	0	50	2.0	3.0	.12	145	5.7	.02
26108	0	75	3.0	3.0	.12	170	6.7	.03
26107	0	100	3.9	3.0	.12	195	7.6	.05
26109	0	150	5.9	3.0	.12	245	9.6	.06
26110	1	60	2.4	4.0	.16	170	6.7	.05
26113	1	80	3.1	4.0	.16	190	7.5	.05
26114	1	100	3.9	4.0	.16	210	8.2	.06
26115	1	150	5.9	4.0	.16	260	10.2	.07

*Metric dimensions actual - Inch dimensions approximate



26190 8pc Precision Slotted & Phillips Screwdrivers and Industrial Long Nose Pliers Set

Item No. Slotted: 1.5 x 40mm
 26190 2.0, 2.5 x 50mm, 3.0 x 60mm

Phillips: 00 x 40mm
 lbs. .72 0 x 50mm, 1 x 60mm

Industrial Long Nose Pliers
 6.3"/160mm OAL

26190.MC/26197 7pc Precision Slotted & Phillips Set

Item No. Slotted: 1.5 x 40mm
 26197 2.0, 2.5 x 50mm, 3.0 x 60mm

Phillips: 00 x 40mm
 lbs. .31 0 x 50mm, 1 x 60mm



26199 8pc Precision Slotted/Phillips Set

Item No.	Slotted:	Phillips:	lbs.
26199	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm	000, 00 x 40mm, 0 x 50mm, 1 x 60mm	.55

Wiha Precision Chip Lifter & Accessories

26810 Precision Chip Lifter
 Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	Pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate

26001 Pocket Clip for Precision Screwdrivers Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	Fits all	lbs.	pkg.
26001	Precision handles	.01	1



26000 Plastic Precision Tool Rack
 Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6	lbs.	Pkg.
26000	Precision screwdrivers	.08	1

26090 6 Piece Precision Slotted Set
 Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	

26099 8pc Precision Slotted Set
 Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers



26092 7pc Precision Slotted & Phillips

Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26092	Slotted:	lbs.
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



26194 4pc Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	
No.	000, 00 x 40mm	lbs.
26194	0 x 50mm, 1 x 60mm	.18



26192 5pc Precision Slotted & Phillips

Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	
No.	2.5, 3.0, 4.0 x 150mm	lbs. .44
26192	Phillips:	
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26205	0	50	2.0	3.0	.12	145	5.7	.03
26210	1	60	2.4	4.0	.16	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch & Metric Precision Series



263 Inch **Inch Hex Driver, With Precision Handle** Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Hex	mm	Inch	mm	Inch	lbs.
26307	0.028	0.7	40	1.6	120	4.7 .02
26309	0.035	0.9	40	1.6	120	4.7 .02
26313	0.05	1.3	40	1.6	120	4.7 .02
26316	1/16	-	50	2.0	145	5.7 .03
26320	5/64	2.0	50	2.0	145	5.7 .03
26323	3/32	-	60	2.4	170	6.7 .04
26327	7/64	-	60	2.4	170	6.7 .04
26331	1/8	-	60	2.4	170	6.7 .04
26333	9/64	60	2.4	170	6.7	.05
26336	5/32	60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



26391 8pc Precision Hex Driver Set -

Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	
26391	.028, .035, .050 x 1.6"	lbs. .32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



26399 8pc Precision Hex Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	
26399	.028, .035, .050 x 1.6"	lbs. .55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Metric **Metric Hex Driver, With Precision Handle** Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	.7	.028	40	1.6	120	4.7	.02	.02	10
26309	.9	.035	40	1.6	120	4.7	.02	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	.05	10

*Metric dimensions actual - Inch dimensions approximate



26390 7pc Precision Hex Driver Set -

Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	
26390	.7, .9, 1.3 x 40mm	lbs. .28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	




91118 Rugged Polyester Canvas Storage

Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Ball End Precision Series




264 Inch Ball End Hex Inch Screwdriver

With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
26413	.050	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver

With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item								
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
26413	1.3	.050	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum-steel.

Item		
No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm	.31
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



26490 8pc Ball End Hex Driver Set - Inch

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum steel.

Item		
No.	Hex Inch:	lbs.
26490	.050 x 1.6, 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.40



In canvas storage pouch

26499 8pc Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item	Ball End Hex Inch:	lbs.
26499	.050 x 1.6" 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

Wiha TORX® Precision Series



26792 7pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item		
No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26790 6pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item		
No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

26791 Set 8pc TORX® Screwdriver Set

Item No.	T1, T2, T3, T4, T5, T6, T7, T8
26791	T5, T6, T7, T8



26799 8pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

In canvas storage pouch

Item		
No.	TORX®:	lbs.
26799	T3, T4, T5, T6, T7, T8 x 40mm T9 x T10 x 50mm	.50

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	PL1	40	1.6	120	4.7	.01	1
26762	PL2	40	1.6	120	4.7	.02	1
26763	PL3	40	1.6	120	4.7	.02	1
26764	PL4	40	1.6	120	4.7	.02	1
26765	PL5	40	1.6	120	4.7	.02	1
26766	PL6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate (PL4 is used for Mac Book Pro)



26794 6 Pc. Precision Pentalobe

Screwdriver Set Blade high alloy CVM steel. Hard chrome finished.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35



92191 51pc Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:	lbs.
92191	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	4.63
	Phillips: #000, #00, #0, #1	
	Torx: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0	
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	

Wiha Precision Screwdriver Sets



92189 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:	lbs.
92189	1.5, 2.0, 2.5, 3.0, 3.5, 4.0	3.67
	Phillips: #000, #00, #0, #1	
	Pentalobe: PL1, PL2, PL3, PL4	
	TORX: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0	
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	



92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:	lbs.
92190	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	3.67
	Phillips: #000, #00, #0, #1	
	TORX: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0	
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	

PicoFinish Soft Grip Nut Drivers



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	Inch	pkg.
26571	3/32	2.4	6.3	.71	10
26572	7/64	2.4	6.3	.71	10
26573	1/8	2.4	6.3	.71	10
26574	9/64	2.4	6.3	.71	10
26575	5/32	2.4	6.3	.71	10
26576	3/16	2.4	6.3	.71	10
26577	7/32	2.4	6.3	.71	10
26578	1/4	2.4	6.3	.71	10

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	mm	mm	pkg.
26579	1.5	60	160	2.5	3.0	18	10
26581	2.0	60	160	3.2	4.0	18	10
26582	2.5	60	160	4.0	4.0	18	10
26583	3.0	60	160	5.0	5.0	18	10
26584	3.5	60	160	5.3	6.0	18	10
26585	4.0	60	160	5.5	6.0	18	10
26586	4.5	60	160	6.2	7.0	18	10
26587	5.0	60	160	6.8	7.0	18	10
26588	5.5	60	160	7.6	8.0	18	10
26589	6.0	60	160	8.2	9.0	18	10

*Metric dimensions actual - Inch dimensions approximate



26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

26596 8pc Metric Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver

Soft Grip Handle

CVM tool steel blade, hardened, hard chrome finish

Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

Sets In Roll-Up Pouch



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10


*Metric dimensions actual - Inch dimensions approximate



261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



26193 8pc Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Slotted:	lbs.
26193	1.0, 1.5, 2.0 x 40mm	.55
	2.5 x 50mm, 3.5 x 60mm	
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	



26093 8pc Slotted Precision Screwdriver Set, With Soft PicoFinish Handle

In storage pouch

Item No.	Slotted:	lbs.
26093	.8, 1.2, 1.5, 2.0 x 40mm	.54
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



26798 6pc MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX®:	lbs.
26798	T6, T7, T8 x 40mm	.50
	T9, T10, T15 x 50mm	

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Size	mm	Inch	mm	Inch	Pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



26793 8pc TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T1, T2, T3, T4,	lbs.
26793	T5, T6, T7, T8	.50

In storage pouch



26796 8pc TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T5, T6, T7, T8 x 40mm	lbs. .57
26796	T9, T10 x 50mm, T15, T20 x 60mm	

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	Pkg.
26341	.028(0.7)	40	1.6	134	5.3	10
26343	.035(0.9)	40	1.6	134	5.3	10
26345	.050(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



26392 8pc Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item	Hex Inch:	
No.	.028, .035, .050 x 1.6"	.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Item						
No.	mm	mm	Inch	mm	Inch	Pkg.
26341	.7(.028)	40	1.6	134	5.3	10
26343	.9(.035)	40	1.6	134	5.3	10
26345	1.3(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



26393 7pc Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	
26393	.71, .89, 1.27 x 40mm	.22
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



26493 7pc Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	
No.	Ball End Hex Inch: .27
26493	1/16, 5/64, 3/32 x 2.0"
	7/64, 1/8, 9/64, 5/32 x 2.4"



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Wiha SYSTEM 4 Precision Handles and Blades



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant.

Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades.

Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04

Rotating Cap for precise turning and control

Tapered Handle allows rapid rotation, requires less clearance

Tips Exact fit, precision machined

Blades CVM steel, hardened, hard chromed. On 4mm Hex shafts

Precision Handle high quality plastic. ESD Safe or Standard styles


Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"



269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade

CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	



280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade

High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 SYSTEM 4 Slotted Reversible Blade

High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5 + 000	120	4.7	.05	
26972	2.0 + 00	120	4.7	.05	
26973	3.0 + 0	120	4.7	.05	
26974	4.0 + 1	120	4.7	.06	



269 SYSTEM 4 Phillips Reversible Blade

High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.


Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



269 SYSTEM 4 Pozidriv Reversible Blade

High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade

High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06

Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26914	0.9	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



269 SYSTEM 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
26951	T6 + T8		.03
26952	T7 + T9		.03
26953	T10 + T15		.03
26954	T15 + T20		.03



269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item		
No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



26906 SoftFinish® Cushion Grip Drive-Loc Handle 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL.

Item					
No.	mm	Inch	mm	Inch	lbs.
26906	4.0	.1574	23	.91	.08



26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL.

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	mm	mm	lbs.
26958	1.5 + 3.0		.02
26959	2.0 + 3.5		.02
26960	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26975	000 + 00		.02
26976	0 + 1		.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26977	T1 + T2		.02
26978	T3 + T4		.02
26979	T5 + T6		.02
26980	T6 + T8		.02
26981	T7 + T9		.02
26982	T10 + T15		.02
26983	T15 + T20		.02



280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
28002	0 + 1		.02



280 SYSTEM 4 Metric Ball End Hex & Hex Metric Drive-Loc Reversible Locking Blades On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3 + 1.3		.02
28004	1.5 + 1.5		.02
28005	2.0 + 2.0		.02
28006	2.5 + 2.5		.02
28007	3.0 + 3.0		.02
28008	4.0 + 4.0		.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Locking Blades On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28012	3.2 + -		.02
28015	4.5 + -		.02
28016	5.0 + -		.02

Wiha Drive-Loc IV Precision Locking Tools



26985 12pc Precision ESD Safe Drive-Loc IV Set In storage pouch

Item No.	
26985	ESD Safe Drive-Loc Handle
↔	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15



26930 7pc Drive-Loc IV TORX® Precision ESD Safe Set In storage pouch

Item No.	
26930	ESD Safe Drive-Loc Handle
↔	TORX®: T3xT4, T5xT6, T6xT8, T7xT9, T10xT15, T15xT20
lbs. .56	



26970 12pc Precision ESD Safe Drive-Loc IV and Tweezers Set

Item No.	
26970	ESD Safe Drive-Loc Handle
↔	Slotted: 2.0x3.5, 2.5x4.0
lbs. .59	Phillips: 000x00, 0x1
	TORX®: T6xT8, T7xT9, T10xT15
	44501 Fine Point - AA SA
	44509 Extra Fine Point - 5 SA
	44505 Flat and Blunt - 2a SA
	44510 Curved Fine Point - 7a SA



26984 9pc Precision Drive-Loc IV Interchangeable Blade Set

Item No.	
26984	SoftFinish® Drive-Loc Handle
↔	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .47	Phillips: 000x00, 0x1
	TORX®: T6xT8, T7xT9, T10xT15



26994 9pc Precision ESD Safe Drive-Loc IV Interchangeable Blade Set

Item No.	
26994	ESD Safe Drive-Loc Handle
↔	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .47	Phillips: 000x00, 0x1
	TORX®: T6xT8, T7xT9, T10xT15

Precision Interchangeable Blade Sets In Metal Box



26987 8pc TORX® Precision Blade Set
Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

Item No.	
26987	Set includes the following blades:
⊕	TORX® standard blades: T3, T4, T5
⊖	TORX® reversible blades: T6, T7, T8, T9, T10, T15, T20
↔	lbs. .62

Rotating Cap
for precise turning and control

Tapered Handle
allows rapid rotation, requires less clearance

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

Blades
CVM steel, hardened, hard chromed

Tips
Exact fit, precision machined

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected. On 4mm Hex shaft. 120mm/4.7" OAL

Item No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected. On 4mm Hex Shaft. 120mm/4.7" OAL

Item No.	mm	mm	Inch	Inch	lbs.
26940	1.5 + 1.8	.12	.12	.03	
26941	2.0 + 2.5	.16	.16	.03	
26938	1.5 -	.11	.11	.04	
26939	1.8 -	.12	.12	.04	
26949	2.0 -	.13	.13	.06	
26950	2.5 -	.16	.16	.06	
26942	3.0 -	.20	.20	.06	
26943	3.2 -	.20	.20	.06	
26944	3.5 -	.22	.24	.06	
26945	4.0 -	.22	.24	.06	
26946	4.5 -	.25	.28	.06	
26947	5.0 -	.27	.28	.06	
26948	5.5 -	.30	.32	.06	

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Handle is molded directly onto the blade for a permanent bond



Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.













Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability















341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Blade CVM steel, hardened.








Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item												
No.	Inch	Inch	mm	mm	Inch	Inch	mm	mm	lbs.	pkg.		
34134	9/64	5.0	125	238	9.4	1.18	30	.18	10			
34135	5/32	5.0	125	238	9.4	1.18	30	.24	10			
34136	3/16	5.0	125	238	9.4	1.18	30	.25	10			
34137	7/32	5.0	125	238	9.4	1.18	30	.26	10			
34138	1/4	5.0	125	246	9.7	1.42	36	.38	10			
34139	5/16	5.0	125	246	9.7	1.42	36	.40	10			
34140	11/32	5.0	125	246	9.7	1.42	36	.40	10			
34141	3/8	5.0	125	246	9.7	1.42	36	.40	10			
34142	7/16	5.0	125	246	9.7	1.61	41	.40	10			
34143	1/2	5.0	125	246	9.7	1.61	41	.40	10			
34144	9/16	5.0	125	246	9.7	1.61	41	.40	10			
34145	5/8	5.0	125	246	9.7	1.61	41	.40	10			

341 Nut Driver, With Wiha-SoftFinish® Handle Metric sizes

Item												
No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.			
34120	5.0	125	5.0	238	9.4	30	1.18	.14	10			
34121	5.5	125	5.0	238	9.4	30	1.18	.14	10			
34122	6.0	125	5.0	238	9.4	30	1.18	.15	10			
34123	7.0	125	5.0	238	9.4	36	1.42	.25	10			
34124	8.0	125	5.0	238	9.4	36	1.42	.25	10			
34126	10.0	125	5.0	238	9.4	36	1.42	.27	10			
34127	11.0	125	5.0	247	9.7	41	1.61	.37	10			
34128	12.0	125	5.0	247	9.7	41	1.61	.40	10			
34129	13.0	125	5.0	247	9.7	41	1.61	.40	10			
34130	14.0	125	5.0	247	9.7	41	1.61	.40	10			
34131	15.0	125	5.0	247	9.7	41	1.61	.40	10			
34132	16.0	125	5.0	249	9.8	41	1.61	.42	10			
34133	17.0	125	5.0	249	9.8	41	1.61	.42	10			

341 Magnetic Nut Driver, With Wiha-SoftFinish® Handle






Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
34152	5.5	125	5.0	238	9.4	.14	10
34154	5.5	250	9.8	361	14.2	.21	10



34193 7pc Nut Driver Set Inch sizes.






Blade CVM steel, hardened.

Deep drawn 1" socket.

Item					
No.	Inch	Inch	Inch	Inch	lbs.
34193	3/16	5.0	3/8	5.0	1.89
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	
	11/32	5.0			








34195 10pc Nut Driver Set Inch sizes

Item					
No.	Inch	Inch	Inch	Inch	lbs.
34195	3/16	5.0	3/8	5.0	3.12
	7/32	5.0	7/16	5.0	
	1/4	5.0	1/2	5.0	
	5/16	5.0	9/16	5.0	
	11/32	5.0	5/8	5.0	



34194 7pc Nut Driver Set Metric sizes

Item					
No.	mm	mm	mm	mm	lbs.
34194	5.0	125	8.0	125	1.93
	5.5	125	10.0	125	
	6.0	125	13.0	125	
	7.0	125			



Wiha SoftFinish® Heavy Duty Nut Drivers



347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle

Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item No.	mm	mm	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
34712	7.0	125	5.0	10.0	238	9.4	36	1.42	.25	10
34715	8.0	125	5.0	10.0	238	9.4	36	1.42	.25	10
34718	9.0	125	5.0	10.0	238	9.4	36	1.42	.26	10
34721	10.0	125	5.0	10.0	238	9.4	36	1.42	.27	10
34724	11.0	125	5.0	13.0	247	9.7	41	1.61	.37	10
34727	12.0	125	5.0	13.0	247	9.7	41	1.61	.40	10
34730	13.0	125	5.0	13.0	247	9.7	41	1.61	.40	10



347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item No.	Inch	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34753	3/16	5.0	125	5/16	231	9.1	36	1.42	.18	10
34759	1/4	5.0	125	3/8	238	9.4	36	1.42	.24	10
34765	5/16	5.0	125	3/8	238	9.4	36	1.42	.25	10
34771	3/8	5.0	125	3/8	238	9.4	36	1.42	.26	10
34774	7/16	5.0	125	1/2	246	9.7	41	1.61	.38	10
34777	1/2	5.0	125	1/2	246	9.7	41	1.61	.40	10



34791 5pc Nut Driver Set Metric sizes					
Item No.	mm	mm	mm	mm	lbs.
34791	5.0*	125	10.0	125	1.42
	6.0*	125	11.0	125	
	8.0	125			

*Standard blade - no hex bolster



34792 6pc Nut Driver Set Inch sizes					
Item No.	Inch	Inch	Inch	Inch	lbs.
34792	3/16	5.0	3/8	5.0	1.94
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	

Wiha SoftFinish® Metric Nut Drivers - Hollow Shaft

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Hardened for maximum torque and wear resistance
- Heavy duty hollow shaft - 3.7" depth
- Chrome plated anti corrosion finish



343 Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle Metric

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34302	5.0	70	2.75	175	7.0	36	1.42	.14	10
34304	5.5	70	2.75	175	7.0	36	1.42	.14	10
34306	6.0	70	2.75	175	7.0	36	1.42	.15	10
34308	7.0	70	2.75	182	7.5	41	1.61	.25	10
34310	8.0	70	2.75	182	7.5	41	1.61	.25	10
34312	10.0	70	2.75	187	7.6	41	1.61	.27	10
34314	13.0	70	2.75	187	7.6	41	1.61	.40	10



34391 7pc Hollow Shaft Nut Driver Set

Metric Sizes					
Item No.	mm	mm	mm	mm	lbs.
34391	5.0	70	8.0	70	1.41
	5.5	70	10.0	70	
	6.0	70	13.0	70	
	7.0	70			

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip



372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Ø	—	—	—	—	—	—	↺	↻
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
37220	3/16	5.9	150	261	10.2	30	1.18	.30	1
37222	1/4	5.9	150	261	10.2	36	1.42	.42	1
37226	3/8	6.9	175	261	10.2	36	1.42	.44	1
37228	7/16	6.9	175	261	10.2	41	1.61	.44	1
37230	1/2	6.9	175	261	10.2	41	1.61	.44	1



372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Metric sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Ø	—	—	—	—	—	—	↺	↻
	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37235	5.0	150	5.9	261	10.2	30	1.18	.16	1
37236	5.5	150	5.9	261	10.2	30	1.18	.16	1
37237	6.0	150	5.9	261	10.2	30	1.18	.17	1
37238	7.0	150	5.9	261	10.2	36	1.42	.28	1
37239	8.0	150	5.9	261	10.2	36	1.42	.28	1
37241	10.0	175	6.9	261	10.2	41	1.61	.44	1
37244	13.0	175	6.9	261	10.2	41	1.61	.44	1



37291 7pc Flexible Shaft Nut Driver Set, Metric Sizes

Item No.	Ø	—	Ø	—	↺
	mm	mm	mm	mm	lbs.
37291	5.0	150	8.0	150	1.93
	5.5	150	10.0	175	
	6.0	150	13.0	175	
	7.0	150			

Wiha SoftFinish® Inch Nut Drivers - Hollow Shaft



343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle Inch sizes

Item No.	Ø	—	—	—	—	—	—	↺	↻
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
34336	3/16	2.75	70	175	7.0	30	1.18	.18	10
34338	1/4	2.75	70	175	7.0	30	1.18	.24	10
34339	5/16	2.75	70	175	7.0	36	1.42	.25	10
34340	11/32	2.75	70	182	7.5	36	1.42	.25	10
34341	3/8	2.75	70	182	7.5	36	1.42	.26	10
34342	7/16	2.75	70	187	7.6	41	1.61	.38	10
34343	1/2	2.75	70	187	7.6	41	1.61	.40	10



34390 7pc Hollow Shaft Nut Driver Set Inch Sizes

Item No.	Ø	—	Ø	—	↺
	Inch	Inch	Inch	Inch	lbs.
34390	3/16	2.75	3/8	2.75	1.55
	1/4	2.75	7/16	2.75	
	5/16	2.75	1/2	2.75	
	11/32	2.75			



Inch Color Coded To Size


Wiha SoftFinish® Triangle Nut Drivers



344 Triangle Nut Driver, With Wiha-SoftFinish® Handle

Blade Chrome-vanadium-molybdenum steel, hardened. Wiha-SoftFinish® cushion grip handle.

Item	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34474	M4	6.8	.267	125	5"	236	9.3	30	1.18	.17	10
34475	M5	8.3	.326	125	5"	236	9.3	30	1.18	.19	10
34476	M6	10.1	.413	125	5"	236	9.3	30	1.18	.21	10
34478	M8	12.1	.474	125	5"	243	9.6	36	1.42	.23	10
34482	M12	16.1	.651	125	5"	243	9.6	41	1.61	.27	10



Wiha T-Handle Nut Drivers



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated.

Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	Inch	Inch	mm	Inch	mm	Inch	mm	lbs.	pkg.
33653	3/16	6.0	150	7.2	182	4.0	100	.16	10
33659	1/4	6.0	150	7.2	182	4.0	100	.18	10
33665	5/16	6.0	150	7.2	182	4.0	100	.19	10
33671	3/8	6.0	150	7.2	182	4.0	100	.20	10
33674	7/16	6.0	150	7.2	182	4.0	100	.26	10
33677	1/2	6.0	150	7.2	182	4.0	100	.30	10



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha

T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
33603	6.0	125	4.9	157	6.2	100	4.0	.16	10
33606	8.0	125	4.9	157	6.2	100	4.0	.18	10
33607	8.0	200	7.9	232	9.1	100	4.0	.22	10
33609	9.0	125	4.9	157	6.2	100	4.0	.23	10
33612	10.0	125	4.9	157	6.2	100	4.0	.24	10
33614	10.0	230	9.0	262	10.3	100	4.0	.26	10
33620	12.0	125	4.9	157	6.2	100	4.0	.26	10
33622	13.0	125	4.9	157	6.2	100	4.0	.27	10
33623	13.0	230	9.0	262	10.3	100	4.0	.30	10



33690 6pc Nut Driver T-handle Set

Inch Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	Inch	Inch	Inch	Inch	lbs.
33690	3/16	6.0	3/8	6.0	1.61
	1/4	6.0	7/16	6.0	
	5/16	6.0	1/2	6.0	



33691 5pc Nut Driver T-handle Set Metric

Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	mm	mm	mm	mm	lbs.
33691	6.0	125	10.0	125	1.57
	8.0	125	13.0	125	
	9.0	125			

Wiha Drive-Loc VI Nut Drivers




Locking mechanism in Wiha SoftFinish® cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

See Drive-Loc VI Handles & Screwdrivers on pages 17-18

Drive-Loc VI

For Adjustable Length Locking Blades



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")



281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1



28196 8pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item No.	lbs.
28196	1.22

Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"
SoftFinish® Cushion Grip Blade Lock Handle



28198 8pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item No.	lbs.
28198	1.00

Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm
SoftFinish® Cushion Grip Blade Lock Handle



28144 Extension Blade For Drive-Loc VI Blades High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28144	6.0	150mm	.14	1

Wiha Power Blade Nut Drivers - 100mm



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26



76085 9pc Power Blade Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76085	.96

Inch: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"



76086 12pc Power Blade Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76086	1.22

Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm



76084 12pc Power Blade Inch & Metric Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.	lbs.
76084	2.97

Inch: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm
Cushion Grip CentroFix Blade Holder

Wiha Power Blade Nut Drivers - 100mm



760 Power Blade Inch Nut Drivers

High alloy CVM steel, hardened, hard chromed.

Item No.	Blade	mm	mm	Inch	lbs.
76059	3/16	100	3.9	.12	
76060	7/32	100	3.9	.14	
76061	1/4	100	3.9	.14	
76062	9/32	100	3.9	.14	
76063	5/16	100	3.9	.14	
76064	11/32	100	3.9	.15	
76065	3/8	100	3.9	.15	
76066	7/16	100	3.9	.15	
76067	1/2	100	3.9	.18	



760 Power Blade Metric Nut Drivers

High alloy CVM steel, hardened, hard chromed.

Item No.	Blade	mm	mm	Inch	lbs.
76068	4.0	100	3.9	.12	
76069	4.5	100	3.9	.12	
76070	5.0	100	3.9	.12	
76071	5.5	100	3.9	.14	
76072	6.0	100	3.9	.14	
76073	7.0	100	3.9	.14	
76074	8.0	100	3.9	.14	
76075	9.0	100	3.9	.14	
76076	10.0	100	3.9	.14	
76077	11.0	100	3.9	.15	
76078	12.0	100	3.9	.18	
76080	13.0	100	3.9	.19	

Wiha Nut Driver Sets Precision Series



26590 8pc Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finish.

Item No. Metric Nut Drivers:

26590	2.5, 3.0, 3.5, 4.0, 4.5,	lbs. .48
	5.0, 5.5, 6.0mm x 60mm	

26592 7pc Nut Driver Set - Metric

Item No. 1.5, 1.8, 2.0, 2.5,

26592 3.0, 3.5, 4.0mm

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle Metric sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Blade	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10	
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10	
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10	
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10	
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10	
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10	
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10	
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10	
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10	
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10	
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10	
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10	
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10	

*Metric dimensions actual - Inch dimensions approximate



265 Inch Inch Nut Driver With Precision Handle Inch sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Blade	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10	
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10	
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10	
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10	
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10	
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10	
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10	
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10	

*Metric dimensions actual - Inch dimensions approximate



In canvas storage pouch

26598 8pc Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finished.

Item No. Metric Nut Drivers:

26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0,	lbs. .70
	5.5, 6.0mm x 60mm	



26591 8pc Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.

Item No.

26591	Inch Nut Drivers:	lbs. 47
	3/32, 7/64, 1/8, 9/64, 5/32,	
	3/16, 7/32, 1/4" x 2.4"	



In canvas storage pouch

26599 8pc Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.


Item No. Inch Nut Drivers:

26599	3/32, 7/64, 1/8,	lbs. .72
	9/64, 5/32, 3/16,	
	7/32, 1/4" x 2.4"	

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
10810	17	26109	25	26445	30	26705	27	26926	33	28006	33
16112	22	26110	25	26447	30	26706	27	26927	33	28007	33
18654	22	26113	25	26449	30	26707	27	26928	33	28008	33
18657	22	26114	25	26455	30	26708	27	26929	33	28012	33
18681	22	26115	25	26457	30	26709	27	26930	34	28015	33
20700	22	26130	29	26459	30	26710	27	26932	32	28016	33
20715	22	26132	29	26461	30	26715	27	26935	32	28021	32
20725	22	26135	29	26463	30	26720	27	26936	32	28023	32
20756	22	26136	29	26465	30	26721	29	26937	32	28024	32
20757	22	26140	29	26467	30	26723	29	26938	34	28026	32
20758	22	26142	29	26490	27	26725	29	26939	34	28027	32
20759	22	26145	29	26491	27	26727	29	26940	34	28028	32
20760	22	26190	25	26493	30	26731	29	26941	34	28029	32
20799	22	26192	26	26499	27	26732	30	26942	34	28033	32
21103	13	26193	29	26510	40	26735	30	26943	34	28034	32
21105	13	26194	26	26515	40	26736	30	26944	34	28035	32
26000	25	26197	25	26520	40	26737	30	26945	34	28036	32
26001	25	26199	25	26523	40	26739	30	26946	34	28037	32
26008	25	26205	26	26525	40	26741	30	26947	34	28103	14
26010	25	26210	26	26527	40	26743	30	26948	34	28106	17
26012	25	26307	26	26530	40	26745	30	26949	34	28107	17
26015	25	26309	26	26531	40	26747	30	26950	34	28108	17
26018	25	26313	26	26532	40	26749	30	26951	33	28109	17
26020	25	26315	26	26535	40	26751	30	26952	33	28110	17
26022	25	26316	26	26536	40	26761	28	26953	33	28112	17
26023	25	26320	26	26539	40	26762	28	26954	33	28114	17
26025	25	26323	26	26540	40	26763	28	26955	33	28116	18
26027	25	26325	26	26545	40	26764	28	26956	33	28117	18
26028	25	26327	26	26547	40	26765	28	26957	33	28118	18
26030	25	26330	26	26550	40	26766	28	26958	33	28119	18
26032	25	26331	26	26555	40	26771	31	26959	33	28120	18
26033	25	26333	26	26556	40	26772	31	26960	33	28122	18
26034	25	26336	26	26560	40	26773	31	26961	33	28123	18
26035	25	26340	26	26563	40	26774	31	26962	34	28124	18
26040	25	26341	30	26570	40	26775	31	26963	34	28126	17
26041	25	26343	30	26571	28	26776	31	26964	34	28127	17
26042	25	26345	30	26572	28	26790	27	26965	34	28128	17
26050	29	26347	30	26573	28	26791	27	26966	34	28129	17
26051	29	26349	30	26574	28	26792	27	26968	34	28130	17
26052	29	26351	30	26575	28	26793	30	26969	34	28132	17
26053	29	26353	30	26576	28	26794	28	26970	34	28133	17
26055	29	26363	30	26577	28	26795	31	26971	32	28134	17
26056	29	26367	30	26578	28	26796	30	26972	32	28135	17
26060	29	26369	30	26579	28	26798	29	26973	32	28136	17
26061	29	26371	30	26581	28	26799	27	26974	32	28137	17
26065	29	26390	26	26582	28	26810	25	26975	33	28138	17
26066	29	26391	26	26583	28	26815	30	26976	33	28139	17
26068	29	26392	30	26584	28	26900	32	26977	33	28140	17
26070	29	26393	30	26585	28	26903	32	26978	33	28142	17
26072	29	26399	26	26586	28	26904	32	26979	33	28143	17
26073	29	26413	27	26587	28	26905	32	26980	33	28144	39
26074	29	26415	27	26588	28	26906	33	26981	33	28149	18
26076	29	26416	27	26589	28	26911	32	26982	33	28150	18
26079	29	26419	27	26590	40	26912	32	26983	33	28151	18
26080	29	26420	27	26591	40	26914	33	26984	34	28156	39
26090	25	26423	27	26592	40	26916	33	26985	34	28157	39
26092	26	26425	27	26593	28	26917	33	26987	34	28158	39
26093	29	26427	27	26596	28	26918	33	26994	34	28159	39
26099	25	26430	27	26598	40	26919	33	26997	36	28160	39
26100	25	26431	27	26599	40	26920	33	28000	32	28161	39
26101	25	26436	27	26631	31	26921	33	28001	34	28162	39
26102	25	26439	27	26701	27	26922	32	28002	33	28163	39
26105	25	26440	27	26702	27	26923	33	28003	33	28164	39
26107	25	26441	30	26703	27	26924	33	28004	33	28168	39
26108	25	26443	30	26704	27	26925	33	28005	33	28169	39

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
28170	39	30297	6	33690	38	34771	36	36281	10	45055	15
28171	39	30298	6	33691	38	34774	36	36282	10	45056	15
28172	39	30299	8	34120	35	34777	36	36283	10	45057	15
28173	39	30520	8	34121	35	34791	36	36284	10	45058	15
28174	39	30523	8	34122	35	34792	36	36285	10	45060	15
28175	39	30526	8	34123	35	35800	7	36286	10	45062	15
28176	39	30535	8	34124	35	35801	7	36287	10	45064	15
28177	39	30540	8	34126	35	35802	7	36288	10	45065	15
28187	18	30580	8	34127	35	35803	7	36290	9	45067	15
28188	18	30813	5	34128	35	35894	7	36291	10	45135	15
28189	19	30814	5	34129	35	36201	10	36294	10	45140	15
28191	18	30815	5	34130	35	36202	9	36296	11	45142	15
28194	19	30816	5	34131	35	36203	9	36297	11	45147	15
28196	39	30817	5	34132	35	36205	21	36298	10	45152	15
28197	19	30820	5	34133	35	36207	9	36299	11	45190	15
28198	39	30825	5	34134	35	36211	11	36710	12	45205	15
28199	19	30830	5	34135	35	36214	11	36713	12	45207	15
28474	18	30835	5	34136	35	36223	11	36715	13	45220	15
28476	18	30892	5	34137	35	36228	11	36716	12	45225	15
28477	18	30896	5	34138	35	36229	11	36719	12	45230	15
28479	18	30898	5	34139	35	36231	11	36720	13	45235	15
28483	18	30942	8	34140	35	36232	11	36723	12	45504	14
28485	18	31105	6	34141	35	36233	11	36725	13	45505	21
28486	17	31110	6	34142	35	36234	9	36726	12	45521	21
28487	17	31112	6	34143	35	36238	11	36728	12	45525	14
28488	17	31114	6	34144	35	36239	11	36730	13	45526	21
28489	14	31115	6	34145	35	36240	21	36732	12	45527	14
30202	6	31117	6	34152	35	36241	11	36734	12	45530	14
30203	6	31118	6	34154	35	36242	11	36736	12	45531	21
30204	6	31120	6	34193	35	36243	11	36738	12	45540	14
30205	6	31125	6	34194	35	36244	9	36740	13	45541	21
30206	6	31135	7	34195	35	36246	11	36742	12	45545	14
30208	6	31137	8	34302	36	36247	11	36744	12	45546	21
30210	6	31140	7	34304	36	36248	11	36750	13	45550	14
30211	6	31190	7	34306	36	36249	9	36760	13	45551	21
30212	6	31191	7	34308	36	36250	21	36780	13	45561	21
30215	6	31192	7	34310	36	36252	11	36786	13	45589	21
30216	6	31193	7	34312	36	36253	11	36790	13	45593	14
30217	6	31194	8	34314	36	36254	9	36791	12	45831	14
30218	6	31201	5	34336	37	36255	11	36792	13	45832	14
30219	6	31202	5	34338	37	36256	9	36793	12	45833	14
30220	6	31203	5	34339	37	36257	9	36794	12	45891	14
30221	6	31305	8	34340	37	36258	9	37220	37	46094	15
30222	6	31310	8	34341	37	36259	10	37222	37	46097	15
30223	6	31312	8	34342	37	36262	11	37226	37	46702	16
30225	6	31315	8	34343	37	36263	11	37228	37	46704	16
30226	6	31320	8	34390	37	36264	10	37230	37	46706	16
30227	6	32644	8	34391	36	36265	11	37235	37	46708	16
30230	6	33603	38	34474	38	36266	10	37236	37	46710	16
30232	6	33606	38	34475	38	36267	10	37237	37	46712	16
30235	6	33607	38	34476	38	36268	10	37238	37	46715	16
30236	6	33609	38	34478	38	36269	10	37239	37	46716	16
30237	8	33612	38	34482	38	36270	10	37241	37	46720	16
30238	6	33614	38	34712	36	36271	10	37244	37	46722	16
30239	7	33620	38	34715	36	36272	10	37291	37	46725	16
30255	7	33622	38	34718	36	36273	10	38450	14	46726	16
30265	7	33623	38	34721	36	36274	10	38460	14	46728	16
30276	5	33653	38	34724	36	36275	10	38600	14	46730	16
30289	7	33659	38	34727	36	36276	10	40010	31	46740	16
30290	7	33665	38	34730	36	36277	10	44590	34	46750	16
30291	7	33671	38	34753	36	36278	10	45050	15	46760	16
30294	6	33674	38	34759	36	36279	10	45052	15	46786	16
30295	8	33677	38	34765	36	36280	10	45054	15	46790	15

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
46794	16	76006	24	76072	40						
46797	16	76007	24	76073	40						
48400	21	76008	24	76074	40						
51099	14	76009	24	76075	40						
52005	19	76010	24	76076	40						
52010	19	76011	23	76077	40						
52020	19	76012	23	76078	40						
52025	19	76013	23	76079	24						
52035	19	76014	24	76080	40						
52040	19	76015	24	76084	39						
52050	19	76016	24	76085	39						
52090	19	76017	24	76086	39						
52097	19	76018	24	76087	22						
52098	19	76019	24	76088	23						
52099	19	76021	24	76089	23						
52105	19	76020	24	76090	24						
52110	19	76022	23	76091	23						
52115	19	76023	23	76092	24						
52120	19	76024	23	76093	23						
52125	19	76025	24	76094	23						
52650	20	76026	23	76095	23						
52711	20	76027	24	76096	24						
52713	20	76030	24	76098	24						
52716	20	76031	23	76099	24						
52719	20	76032	23	91118	26						
52722	20	76033	23	92189	28						
52726	20	76034	23	92190	28						
52729	20	76035	23	92191	28						
52732	20	76036	23								
52790	20	76037	23								
52791	20	76038	23								
53010	4	76039	23								
53015	4	76040	24								
53020	4	76041	23								
53025	4	76042	23								
53027	4	76043	23								
53035	4	76044	23								
53040	4	76045	24								
53075	4	76046	24								
53090	4	76047	24								
53096	4	76048	24								
53097	5	76049	24								
53099	5	76050	24								
53110	4	76051	24								
53115	4	76052	24								
53120	4	76053	24								
53310	20	76054	24								
53315	20	76056	23								
53320	20	76057	23								
53325	20	76058	23								
53330	20	76059	40								
53390	20	76060	40								
53398	20	76061	40								
53405	20	76062	40								
53410	20	76063	40								
53425	20	76064	40								
62994	30	76065	40								
76000	23,39	76066	40								
76001	24	76067	40								
76002	24	76068	40								
76003	24	76069	40								
76004	24	76070	40								
76005	24	76071	40								

 **Prop65 WARNING:** This product could expose you to chemicals including Vinyl Chloride, Ethylene Glycol, Ni or CrVI, which are known to the state of California to cause cancer or reproductive harm. For more information go to www.P65warnings.ca.gov/



PROFESSIONAL SCREWDRIVERS & NUT DRIVERS



(800) 494-6104
 fax: (800) 494-7456
 cservice@wihatools.com
 www.wihatools.com



Wiha Quality Tools
 1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.
 www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 866.494.0096 or 763.295.6591
 fax: 763.295.6598




To:

Catalog Item No. 99002 .wo
 version - 9/1/19

Subject to change without notice

©2019 Willi Hahn Corporation

@Torx is a registered trademark of
 Acument Intellectual Properties LLC.



99977.wo - Pliers/Crimpers Catalog



99934.wo - Hex Tools Catalog



99001.wo - TorqueControl Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99004.wo - Shop Tools Catalog




99914.wo - TORX Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99007.wo - Merchandise Catalog